Common gut microbial metabolites of dietary flavonoids exert potent protective activities in β-cells and skeletal muscle cells

Benjamin F. Bitner, Jason D. Ray, Kyle B. Kener, Jacob A. Herring, Josie A. Tueller, Deborah K. Johnson, Claudia M. Tellez Freitas, Dane W. Fausnacht, Mitchell E. Allen, Alexander H. Thomson, K. Scott Weber, Ryan P. McMillan, Matthew W. Hulver, David A. Brown, Jeffery S. Tessem, Andrew P. Neilson

PII: S0955-2863(18)30490-X
DOI: doi:10.1016/j.jnutbio.2018.09.004
Reference: JNB 8053

To appear in: *The Journal of Nutritional Biochemistry*

Received date: 18 May 2018
Revised date: 20 August 2018
Accepted date: 11 September 2018

Please cite this article as: Benjamin F. Bitner, Jason D. Ray, Kyle B. Kener, Jacob A. Herring, Josie A. Tueller, Deborah K. Johnson, Claudia M. Tellez Freitas, Dane W. Fausnacht, Mitchell E. Allen, Alexander H. Thomson, K. Scott Weber, Ryan P. McMillan, Matthew W. Hulver, David A. Brown, Jeffery S. Tessem, Andrew P. Neilson , Common gut microbial metabolites of dietary flavonoids exert potent protective activities in β-cells and skeletal muscle cells. Jnb (2018), doi:10.1016/j.jnutbio.2018.09.004

Common gut microbial metabolites of dietary flavonoids exert potent protective activities in β-cells and skeletal muscle cells

Benjamin F. Bitner[1,7] , Jason D. Ray[1,8], Kyle B. Kener[1], Jacob A. Herring[1,2], Josie A. Tueller[2], Deborah K. Johnson[2], Claudia M. Tellez Freitas[2], Dane W. Fausnacht[3], Mitchell E. Allen[3], Alexander H. Thomson[3], K. Scott Weber[2], Ryan P. McMillan[3,4], Matthew W. Hulver[3,4], David A. Brown[3,4,5], Jeffery S. Tessem[1], Andrew P. Neilson[6]*

[1]Department of Nutrition, Dietetics and Food Science, Brigham Young University, S243 ESC Provo, UT 84602
[2]Department of Microbiology and Molecular Biology, Brigham Young University, 3137 LSB Provo, UT 84602
[3]Department of Human Nutrition, Foods and Exercise, Virginia Tech, 1981 Kraft Dr., Blacksburg, VA 24060
[4]Metabolic Phenotyping Core Facility, Virginia Tech, 1981 Kraft Dr., Blacksburg, VA 24060
[5]Virginia Tech Center for Drug Discovery, 800 West Campus Dr. Room 3111 Blacksburg, VA 24061
[6]Department of Food Science and Technology, Virginia Tech, 1981 Kraft Dr., Blacksburg, VA 24060
[7]Current affiliation: UC Irvine School of Medicine, Irvine, CA
[8]Current affiliation: Yale University, New Haven, CT

***Corresponding author:** Dr. Andrew P. Neilson, 1981 Kraft Dr. Rm 1013, Blacksburg, VA 24060; Email: andrewn@vt.edu; Phone: 1-540-231-8391; Fax: 1-540-231-9293

Running title: anti-diabetes activities of microbial metabolites

Grants, sponsors, and funding sources: Funding for this work was provided, in part, by the Virginia Agricultural Experiment Station and the Hatch Program of the National Institute of Food and Agriculture, U.S. Department of Agriculture (APN and DAB), American Diabetes Association (1-JF-05-24 to MWH), the National Institutes of Health-NIDDK (2RO1 DK-078765), R01 HL123647 to DAB), BYU mentoring environment grant (JST), BYU ORCA Grant (BFB), American Diabetes Association (1-17-IBS-101 to JST), and a grant from the Diabetes Action Research and Education Foundation (Grant #461 to JST).

Keywords: hippuric acid; homovanillic acid; 5-phenylvaleric acid; (−)-epicatechin; insulin; respiration