Accepted Manuscript

Mining-induced seismicity of a seam located in rock mass made of thick sandstone layers with very low strength and deformation parameters

Jan Drzewiecki, Jacek Myszkowski

PII: S2300-3960(17)30133-7

DOI: 10.1016/j.jsm.2018.08.002

Reference: JSM 100

To appear in: *Journal of Sustainable Mining*

Received Date: 29 November 2017

Revised Date: 3 August 2018

Accepted Date: 8 August 2018

Please cite this article as: Drzewiecki J. & Myszkowski J., Mining-induced seismicity of a seam located in rock mass made of thick sandstone layers with very low strength and deformation parameters, *Journal of Sustainable Mining* (2018), doi: 10.1016/j.jsm.2018.08.002.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

MINING-INDUCED SEISMICITY OF A SEAM LOCATED IN ROCK MASS MADE OF THICK SANDSTONE LAYERS WITH VERY LOW STRENGTH AND DEFORMATION PARAMETERS

Jan Drzewiecki [1], Jacek Myszkowski [1]
[1] Department of Rockburst and Rock Mechanics, Central Mining Institute (Katowice, Poland)
* Corresponding author: e-mail: j.drzewiecki@gig.eu, tel.: +48 32 259 23 23, fax: +48 32 258 65 33

ACCEPTED MANUSCRIPT

Download English Version:

https://daneshyari.com/en/article/11008857

Download Persian Version:

https://daneshyari.com/article/11008857

Daneshyari.com