

Accepted Manuscript

Comparison of a computer vision system vs. traditional colorimeter for color evaluation of meat products with various physical properties

Igor Tomasevic, Vladimir Tomovic, Bojana Milovanovic, Jose Lorenzo, Vesna Đorđević, Nedjeljko Karabasil, Ilija Djekic



PII: S0309-1740(18)30422-4
DOI: doi:[10.1016/j.meatsci.2018.09.015](https://doi.org/10.1016/j.meatsci.2018.09.015)
Reference: MESC 7692
To appear in: *Meat Science*
Received date: 24 April 2018
Revised date: 18 September 2018
Accepted date: 20 September 2018

Please cite this article as: Igor Tomasevic, Vladimir Tomovic, Bojana Milovanovic, Jose Lorenzo, Vesna Đorđević, Nedjeljko Karabasil, Ilija Djekic , Comparison of a computer vision system vs. traditional colorimeter for color evaluation of meat products with various physical properties. *Mesc* (2018), doi: [10.1016/j.meatsci.2018.09.015](https://doi.org/10.1016/j.meatsci.2018.09.015)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Comparison of a computer vision system vs. traditional colorimeter for color evaluation of meat products with various physical properties

Igor Tomasevic^{a *}, Vladimir Tomovic^b, Bojana Milovanovic^a, Jose Lorenzo^c, Vesna Đorđević^d, Nedjeljko Karabasil^e, Ilija Djekic^f

^a Department of Animal Source Food Technology, University of Belgrade, Faculty of Agriculture, Nemanjina 6, 11080 Belgrade, Serbia.

^b Faculty of Technology, University of Novi Sad, Bulevar cara Lazara 1, Novi Sad, Serbia

^c Centro Tecnológico de la Carne de Galicia, Parque Tecnológico de Galicia, Rua Galicia No. 4, San Cibrao das Viñas, Ourense, Spain

^d Institute of Meat Hygiene and Technology, Kačanskog 13, Belgrade, Serbia

^e University of Belgrade, Faculty of Veterinary Medicine, Department of Food Hygiene and Technology, Bulevar oslobođenja 18, Belgrade, Serbia

^f Food Safety and Quality Management Department, University of Belgrade, Faculty of Agriculture, Nemanjina 6, 11080 Belgrade, Serbia

Corresponding author:

Name: Igor Tomasevic

Address: Department of Animal Source Food Technology
Faculty of Agriculture, University of Belgrade
Nemanjina 6

11080 Belgrade

Republic of Serbia

Email: tbigor@agrif.bg.ac.rs

1. Introduction

While visual determinations are the benchmark for evaluating color of meat and meat products and assessing consumer perception (Mancini & Hunt, 2005), trained visual panels are not always possible. Thus, instrumental color analyses based on spectrophotometric and colorimetric principles have been used extensively for meat and meat

Download English Version:

<https://daneshyari.com/en/article/11010699>

Download Persian Version:

<https://daneshyari.com/article/11010699>

[Daneshyari.com](https://daneshyari.com)