Accepted Manuscript



Neonatal hyperoxia promotes asthma-like features through IL-33-dependent ILC2 responses

In Su Cheon, PhD, Young Min Son, PhD, Li Jiang, BS, Nicholas P. Goplen, PhD, Mark H. Kaplan, PhD, Andrew H. Limper, MD, Hirohito Kita, MD, Sophie Paczesny, MD, PhD, Y.S. Prakash, MD, PhD, Robert Tepper, MD, PhD, Shawn K. Ahlfeld, MD, Jie Sun, PhD

PII: S0091-6749(17)32871-3

DOI: 10.1016/j.jaci.2017.11.025

Reference: YMAI 13172

To appear in: *Journal of Allergy and Clinical Immunology*

Received Date: 31 March 2017

Revised Date: 6 November 2017

Accepted Date: 24 November 2017

Please cite this article as: Cheon IS, Son YM, Jiang L, Goplen NP, Kaplan MH, Limper AH, Kita H, Paczesny S, Prakash YS, Tepper R, Ahlfeld SK, Sun J, Neonatal hyperoxia promotes asthma-like features through IL-33-dependent ILC2 responses, *Journal of Allergy and Clinical Immunology* (2018), doi: 10.1016/j.jaci.2017.11.025.

Neonatal hyperoxia promotes asthma-like features through IL-33-dependent ILC2 responses

In Su Cheon, PhD[1, 2], Young Min Son, PhD[1, 2], Li Jiang, BS[1, 2], Nicholas P Goplen, PhD[2], Mark H. Kaplan, PhD[1], Andrew H. Limper, MD[2], Hirohito Kita, MD[3], Sophie Paczesny, MD, PhD[1], Y. S. Prakash, MD, PhD[4, 5], Robert Tepper, MD, PhD[1], Shawn K. Ahlfeld, MD[1, 6], and Jie Sun, PhD[1, 2, 3]

1. Department of Pediatrics, Indiana University School of Medicine, Indianapolis, IN 46202
2. Division of Pulmonary and Critical Care Medicine, Department of Medicine, Mayo Clinic College of Medicine and Science, Rochester, MN 55905
3. Department of Immunology, Mayo Clinic College of Medicine and Science, Rochester, MN 55905
4. Department of Anesthesiology, Mayo Clinic College of Medicine and Science, Rochester, MN 55905
5. Department of Physiology and Biomedical Engineering, Mayo Clinic College of Medicine and Science, Rochester, MN 55905
6. Department of Pediatrics, University of Cincinnati, Cincinnati, OH, 45229

Correspondence to Jie Sun. Sun.Jie@mayo.edu