


Accepted Manuscript

Identification of suitable patients for ICD therapy

Heikki Huikuri, Alfred E. Buxton



PII: S0167-5273(18)34224-4
DOI: doi:[10.1016/j.ijcard.2018.08.011](https://doi.org/10.1016/j.ijcard.2018.08.011)
Reference: IJCA 26827

To appear in: *International Journal of Cardiology*

Received date: 30 July 2018
Accepted date: 4 August 2018

Please cite this article as: Heikki Huikuri, Alfred E. Buxton , Identification of suitable patients for ICD therapy. *Ijca* (2018), doi:[10.1016/j.ijcard.2018.08.011](https://doi.org/10.1016/j.ijcard.2018.08.011)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Identification of suitable patients for ICD therapy

Heikki Huikuri MD¹, and Alfred E. Buxton.²

Research Unit of Internal Medicine, Medical Research Center, University of Oulu and University Hospital of Oulu, Finland, and Cardiovascular Division, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, USA.

Correspondence: Prof. Heikki Huikuri, Research Unit of Internal Medicine, Medical Research Center, University of Oulu and University Hospital of Oulu, Finland. P.O. Box 5000, 90014 Oulu, Finland. e-mail: heikki.huikuri@oulu.fi.

Funding in part from the European Community's Seventh Framework Programme FP7 under grant agreement no. HEALTH.F2-2009-241526

Download English Version:

<https://daneshyari.com/en/article/11015047>

Download Persian Version:

<https://daneshyari.com/article/11015047>

[Daneshyari.com](https://daneshyari.com)