


Accepted Manuscript

Title: Resistin levels are not associated with obesity in central precocious puberty

Authors: Jessie N. Zurita-Cruz, Patricia Medina-Bravo, Leticia Manuel-Apolinar, Leticia Damasio-Santana, Guillermo Wakida-Kusunoki, Michel Padilla-Rojas, Cesar Maldonado-Rivera, Alejandro Gutierrez-Gonzalez, Elisa Nishimura-Meguro, Eulalia Garrido-Magaña, Aleida de J. Rivera-Hernández, Miguel A. Villasís-Keever



PII: S0196-9781(18)30178-5
DOI: <https://doi.org/10.1016/j.peptides.2018.09.009>
Reference: PEP 70021

To appear in: *Peptides*

Received date: 23-2-2018
Revised date: 13-9-2018
Accepted date: 27-9-2018

Please cite this article as: Zurita-Cruz JN, Medina-Bravo P, Manuel-Apolinar L, Damasio-Santana L, Wakida-Kusunoki G, Padilla-Rojas M, Maldonado-Rivera C, Gutierrez-Gonzalez A, Nishimura-Meguro E, Garrido-Magaña E, Rivera-Hernández AdJ, Villasís-Keever MA, Resistin levels are not associated with obesity in central precocious puberty, *Peptides* (2018), <https://doi.org/10.1016/j.peptides.2018.09.009>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

“Resistin levels are not associated with obesity in central precocious puberty”

Short title: Resistin in precocious puberty

Jessie N. Zurita-Cruz¹, Patricia Medina-Bravo², Leticia Manuel-Apolinar³, Leticia Damasio-Santana³, Guillermo Wakida-Kusunoki⁴, Michel Padilla-Rojas⁴, Cesar Maldonado-Rivera⁴, Alejandro Gutierrez-Gonzalez⁵, Elisa Nishimura-Meguro⁶, Eulalia Garrido-Magaña⁶, Aleida de J. Rivera-Hernández⁶, Miguel A. Villasís-Keever⁷.

¹Unit of Nutrition, National Medical Center XXI Century, Instituto Mexicano del Seguro Social, Mexico City, México

²Department of Pediatric Endocrinology. Hospital Infantil de México Federico Gómez, Ministry of Health (SSA), Mexico City, Mexico

³Department of Endocrinology Research, Hospital of Medical Specialties, National Medical Center XXI Century, Instituto Mexicano del Seguro Social, Mexico City, México

⁴Pediatrics Service, South Central Hospital of High Specialty of Petroleos Mexicanos, Health Services of Petroleos Mexicanos Mexico City, México

⁵ Computer Research Center of Instituto Politecnico Nacional, Mexico City, México

⁶Department of Pediatric Endocrinology, Children’s Hospital, National Medical Center XXI Century, Instituto Mexicano del Seguro Social, Mexico City, México

⁷Unit of Medical Research in Clinical Epidemiology, National Medical Center XXI Century, Instituto Mexicano del Seguro Social, Mexico City, México

Correspondence: Miguel A. Villasís-Keever, Av. Cuauhtemoc 330, Col. Doctores, México DF, CP 06720, Phone 55 (52) 56276900 ext. 22501. E-mail: miguel.villasis@gmail.com

Word count: 2505 words

Highlights:

- This study is the first to determine resistin levels in patients with CPP
- CPP patients have lower concentrations of resistin than prepubertal and pubertal girls with overweight or obesity without CPP

Download English Version:

<https://daneshyari.com/en/article/11015481>

Download Persian Version:

<https://daneshyari.com/article/11015481>

[Daneshyari.com](https://daneshyari.com)