

# Accepted Manuscript

Elastomeric Bearing Sizing Analysis Part 1:Spherical Bearing

R.A. Schapery

PII: S0020-7683(18)30118-5  
DOI: [10.1016/j.ijsolstr.2018.03.010](https://doi.org/10.1016/j.ijsolstr.2018.03.010)  
Reference: SAS 9935



To appear in: *International Journal of Solids and Structures*

Received date: 6 August 2017  
Revised date: 23 February 2018  
Accepted date: 11 March 2018

Please cite this article as: R.A. Schapery , Elastomeric Bearing Sizing Analysis Part 1:Spherical Bearing, *International Journal of Solids and Structures* (2018), doi: [10.1016/j.ijsolstr.2018.03.010](https://doi.org/10.1016/j.ijsolstr.2018.03.010)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Elastomeric Bearing Sizing Analysis

## Part 1: Spherical Bearing

R.A. Schapery

Professor Emeritus, Department of Aerospace Engineering and Engineering Mechanics,  
The University of Texas at Austin, Austin, Texas 78712

### Abstract

This analysis covers rigorous development of theoretical equations (based on linear elasticity and the assumption of rigid shims) used in the following bearing sizing computer programs for general three-dimensional loading. Part 1: Spherical Single Pad, Spherical Multilayer. Part 2: Flat (and circular) Single Pad, Flat Multilayer, Partial Cylinder (single and multilayer), Complete Cylinder (single and multilayer). Essentially the same methodology is used for spherical, flat and cylindrical bearings, and thus the theory is very detailed for only the spherical bearing. For the two others the analysis is less detailed and differences in the theory, if any, are noted. These equations have been programmed using Mathcad embedded in Excel for ease of use by the designer. The accuracy of the predictions has been extensively checked by linear finite elements. After preliminary designs are established by using Mathcad or other programs based on the theory, final design may be done with finite elements, accounting for rubber nonlinearity and shim deformation. Lastly, some comparisons of all five basic spring constants from Mathcad are made using linear finite element predictions (all as a function of shape factor), followed by examples of the effect of shape factor on shear strain and mean stress. A third paper, Spherical Shim Analysis for Elastomeric Bearings, has been submitted.

Key Words: Elastomeric Bearings, Rubber, Solid Mechanics, Linear Elasticity, Design Equations

Download English Version:

<https://daneshyari.com/en/article/11016547>

Download Persian Version:

<https://daneshyari.com/article/11016547>

[Daneshyari.com](https://daneshyari.com)