Accepted Manuscript

Is Bariatric Surgery Effective for Comorbidity Resolution in the Super Obese Patients?

Kamyar Hariri M.D., Daniela Guevara M.D., Matthew Dong M.D., Subhash U. Kini M.D., Daniel M. Herron M.D., Gustavo Fernandez-Ranvier M.D., Ph.D.

 PII:
 S1550-7289(18)30268-5

 DOI:
 10.1016/j.soard.2018.05.015

 Reference:
 SOARD 3379

To appear in: Surgery for Obesity and Related Diseases

Received date:30 January 2018Revised date:24 March 2018Accepted date:18 May 2018

Please cite this article as: Kamyar Hariri M.D., Daniela Guevara M.D., Matthew Dong M.D., Subhash U. Kini M.D., Daniel M. Herron M.D., Gustavo Fernandez-Ranvier M.D., Ph.D., Is Bariatric Surgery Effective for Comorbidity Resolution in the Super Obese Patients?, *Surgery for Obesity and Related Diseases* (2018), doi: 10.1016/j.soard.2018.05.015

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- A comparison of the most common obesity-related comorbidities—diabetes, obstructive sleep apnea, hypertension, hyperlipidemia—between patients with a body mass index (BMI) of 30-49.9 kg/m² and BMI \ge 50 kg/m² (super obese) did not reveal a difference in resolution rates between the two groups.
- Super obese patients achieved similar levels of postoperative percent total body weight loss (% TBWL) to patients with a BMI of 30-49.9 kg/m².

Comorbidity Resolution After Bariatric Surgery in Super Obese Patients

Download English Version:

https://daneshyari.com/en/article/11018521

Download Persian Version:

https://daneshyari.com/article/11018521

Daneshyari.com