

Accepted Manuscript

Microvascular Endothelial Function and Neurocognition among Adults with Major Depressive Disorder

Smith PJ , Blumenthal JA , Hinderliter AL , Watkins LL , Hoffman BM , Sherwood A

PII: S1064-7481(18)30397-X
DOI: [10.1016/j.jagp.2018.06.011](https://doi.org/10.1016/j.jagp.2018.06.011)
Reference: AMGP 1065



To appear in: *The American Journal of Geriatric Psychiatry*

Received date: 27 April 2018
Revised date: 12 June 2018
Accepted date: 12 June 2018

Please cite this article as: Smith PJ , Blumenthal JA , Hinderliter AL , Watkins LL , Hoffman BM , Sherwood A , Microvascular Endothelial Function and Neurocognition among Adults with Major Depressive Disorder, *The American Journal of Geriatric Psychiatry* (2018), doi: [10.1016/j.jagp.2018.06.011](https://doi.org/10.1016/j.jagp.2018.06.011)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights:

- The present findings are the first to demonstrate an association between peripheral microvascular endothelial function and neurocognition among adults with major depressive disorder
- These findings extend previous findings by demonstrating an interaction between systemic vascular dysfunction and microvascular disease on neurocognition
- Findings suggest that microvascular dysfunction is more closely associated with some aspects of neurocognition, including memory performance, than chronological age

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/11018921>

Download Persian Version:

<https://daneshyari.com/article/11018921>

[Daneshyari.com](https://daneshyari.com)