

Comparison of Outcomes of Percutaneous Coronary Intervention on Native Coronary Arteries Versus on Saphenous Venous Aorta Coronary Conduits in Patients With Low Left Ventricular Ejection Fraction and Impella Device Implantation Achieved or Attempted (From The PROTECT II Randomized Trial and The cVAD Registry)

David M. Shavelle MD , Subhash Banerjee MD ,
Brijeshwar Maini MD , Theodore L. Schreiber MD ,
Neel Kapasi MD , William W. O'Neill MD , Jeffrey Popma MD ,
Ray V. Matthews MD

PII: S0002-9149(18)31252-9
DOI: [10.1016/j.amjcard.2018.06.013](https://doi.org/10.1016/j.amjcard.2018.06.013)
Reference: AJC 23365

To appear in: *The American Journal of Cardiology*

Received date: 15 May 2018
Revised date: 31 May 2018
Accepted date: 6 June 2018

Please cite this article as: David M. Shavelle MD , Subhash Banerjee MD , Brijeshwar Maini MD , Theodore L. Schreiber MD , Neel Kapasi MD , William W. O'Neill MD , Jeffrey Popma MD , Ray V. Matthews MD , Comparison of Outcomes of Percutaneous Coronary Intervention on Native Coronary Arteries Versus on Saphenous Venous Aorta Coronary Conduits in Patients With Low Left Ventricular Ejection Fraction and Impella Device Implantation Achieved or Attempted (From The PROTECT II Randomized Trial and The cVAD Registry), *The American Journal of Cardiology* (2018), doi: [10.1016/j.amjcard.2018.06.013](https://doi.org/10.1016/j.amjcard.2018.06.013)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Comparison of Outcomes of Percutaneous Coronary Intervention on Native Coronary Arteries
Versus on Saphenous Venous Aorta Coronary Conduits in Patients With Low Left Ventricular
Ejection Fraction and Impella Device Implantation Achieved or Attempted
(From The PROTECT II Randomized Trial and The cVAD Registry)

David M. Shavelle MD¹, Subhash Banerjee MD², Brijeshwar Maini MD³, Theodore L. Schreiber MD⁴, Neel Kapasi MD¹, William W. O'Neill MD⁵, Jeffrey Popma MD⁶ and Ray V. Matthews MD¹

¹Division of Cardiovascular Medicine, University of Southern California, Los Angeles, CA;

²Veterans Affairs North Texas Health Care System and University of Texas Southwestern Medical Center, Dallas, TX; ³Florida Atlantic University, Boca Raton, FL; ⁴Detroit Medical Center, Cardiovascular Institute, Detroit, MI; ⁵Henry Ford Hospital, Detroit, MI; ⁶Beth Israel Deaconess Medical Center, Boston, MA

Brief title: Prior CABG and High Risk PCI

Word Count: 4567

Address correspondence to:

David M. Shavelle, MD
Division of Cardiovascular Medicine
University of Southern California
1510 San Pablo Street, Suite 322
Los Angeles, CA 90033
Phone: 323-442-5604
Fax: 323-442-6133
E-mail: shavelle@usc.edu

Disclosure Statement: One or more of the authors have disclosed potential conflicts of interest regarding the content herein.

Download English Version:

<https://daneshyari.com/en/article/11019063>

Download Persian Version:

<https://daneshyari.com/article/11019063>

[Daneshyari.com](https://daneshyari.com)