Accepted Manuscript

Title: Changes in cognitive function among older adults: A latent profile transition analysis

Authors: Feifei Huang, Minqiang Zhang, Shaojie Wang

PII: S0167-4943(18)30182-1

DOI: https://doi.org/10.1016/j.archger.2018.09.006

Reference: AGG 3745

To appear in: Archives of Gerontology and Geriatrics

Received date: 9-5-2018 Revised date: 30-8-2018 Accepted date: 18-9-2018

Please cite this article as: Huang F, Zhang M, Wang S, Changes in cognitive function among older adults: A latent profile transition analysis, *Archives of Gerontology and Geriatrics* (2018), https://doi.org/10.1016/j.archger.2018.09.006

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Changes in cognitive function among older adults: A latent profile transition analysis

Feifei Huang^a, Minqiang Zhang^{a, b}, Shaojie Wang^a

^aSchool of Psychology, South China Normal University, Guangzhou, China

^bGuangdong Key Laboratory of Mental Health and Cognitive Science, South China

Normal University, Guangzhou, China

Corresponding author detail:

Name: Mingiang Zhang

Mailing address: School of Psychology, South China Normal University, Tianhe District,

Guangzhou, China.

E-mail: zhangmq1117@qq.com

Telephone: +86 18924176716

Highlights

- Three meaningful cognitive function subgroups were identified
- Cognitive function profiles exhibited both stability and changes
- Demographic features are useful for future research and tailored interventions

ABSTRACT:

Cognitive decline in late life is a crucial health problem. It is important to understand the consistency and change of older adults' cognitive function in late life. Data for older adults (78 years and above) from the Health and Retirement Study (*N*=1680) were used

1

Download English Version:

https://daneshyari.com/en/article/11019636

Download Persian Version:

https://daneshyari.com/article/11019636

<u>Daneshyari.com</u>