

The effect of chelating anions on the retention of Co(II) by γ-alumina from aqueous solutions under the unadjusted pH condition of supported catalyst preparation

Mouhamad Ali Ahmad, Jerzy Zajac, Benedicte Prelot

PII: S0021-9797(18)31172-X
DOI: https://doi.org/10.1016/j.jcis.2018.09.091
Reference: YJCIS 24142

To appear in: *Journal of Colloid and Interface Science*

Received Date: 27 July 2018
Revised Date: 21 September 2018
Accepted Date: 26 September 2018

Please cite this article as: M. Ali Ahmad, J. Zajac, B. Prelot, The effect of chelating anions on the retention of Co(II) by γ-alumina from aqueous solutions under the unadjusted pH condition of supported catalyst preparation, *Journal of Colloid and Interface Science* (2018), doi: https://doi.org/10.1016/j.jcis.2018.09.091

The effect of chelating anions on the retention of Co(II) by γ-alumina from aqueous solutions under the unadjusted pH condition of supported catalyst preparation

Mouhamad Ali Ahmad, Jerzy Zajac, Benedicte Prelot*

Institut Charles Gerhardt, UMR-5253 CNRS-UM-ENSCM,

Université de Montpellier, Place E. Bataillon, F-34095 Montpellier cedex 5, France

*Corresponding author: Dr. B. Prelot, e-mail: benedicte.prelot@umontpellier.fr