

Accepted Manuscript

Copper Sulfide Colloids on Quantum Dot Sensitized TiO₂ solar cell: Effects of Capping with Mercapto-acid Linker Molecules

Shinya Higashimoto, Takuto Nakase, Shun Mukai, Masanari Takahashi

PII: S0021-9797(18)31173-1
DOI: <https://doi.org/10.1016/j.jcis.2018.09.092>
Reference: YJCIS 24143

To appear in: *Journal of Colloid and Interface Science*

Received Date: 21 May 2018
Revised Date: 26 September 2018
Accepted Date: 26 September 2018



Please cite this article as: S. Higashimoto, T. Nakase, S. Mukai, M. Takahashi, Copper Sulfide Colloids on Quantum Dot Sensitized TiO₂ solar cell: Effects of Capping with Mercapto-acid Linker Molecules, *Journal of Colloid and Interface Science* (2018), doi: <https://doi.org/10.1016/j.jcis.2018.09.092>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Copper Sulfide Colloids on Quantum Dot Sensitized TiO₂ solar cell:
Effects of Capping with Mercapto-acid Linker Molecules**

Shinya Higashimoto,^{a*} Takuto Nakase,^a Shun Mukai,^a and Masanari Takahashi^b

^a *College of Engineering, Osaka Institute of Technology, 5-16-1 Omiya, Asahi-ku, Osaka
535-8585, Japan*

^b *Osaka Research Institute of Industrial Science and Technology, 1-6-50 Morinomiya,
Joto-ku, Osaka 536-8585, Japan*

To whom correspondence should be addressed.

Dr. Shinya Higashimoto

Tel: +81-6-6954-4283; fax: +81- 6-6957-2135;

E-mail: shinya.higashimoto@oit.ac.jp

Download English Version:

<https://daneshyari.com/en/article/11020919>

Download Persian Version:

<https://daneshyari.com/article/11020919>

[Daneshyari.com](https://daneshyari.com)