Accepted Manuscript

Hidden symmetries in real and theoretical networks

Dallas Smith, Benjamin Webb

 PII:
 S0378-4371(18)31280-9

 DOI:
 https://doi.org/10.1016/j.physa.2018.09.131

 Reference:
 PHYSA 20192

 To appear in:
 Physica A

 Received date :
 2 March 2018

Revised date : 13 June 2018



Please cite this article as: D. Smith, B. Webb, Hidden symmetries in real and theoretical networks, *Physica A* (2018), https://doi.org/10.1016/j.physa.2018.09.131

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights for "Hidden Symmetries in Real and Theoretical Net uts"

- Introduction of a generalization of network symmetries called latent s more tries.
- Latent Symmetries are found in real-world networks.
- Latently symmetric vertices have the same eigenvector centrality.
- Latent symmetries are more likely to occur in preferentially attained networks

Download English Version:

https://daneshyari.com/en/article/11023338

Download Persian Version:

https://daneshyari.com/article/11023338

Daneshyari.com