

## Accepted Manuscript

Obsessive-Compulsive Symptom Dimensions: Association with Comorbidity Profiles and Cognitive-Behavioral Therapy Outcome in Pediatric Obsessive-Compulsive Disorder

Daviö R.M.A. Højgaard

PII: S0165-1781(17)31155-1  
DOI: <https://doi.org/10.1016/j.psychres.2018.09.054>  
Reference: PSY 11768



To appear in: *Psychiatry Research*

Received date: 29 June 2017  
Revised date: 21 September 2018  
Accepted date: 22 September 2018

Please cite this article as: Daviö R.M.A. Højgaard , Obsessive-Compulsive Symptom Dimensions: Association with Comorbidity Profiles and Cognitive-Behavioral Therapy Outcome in Pediatric Obsessive-Compulsive Disorder , *Psychiatry Research* (2018), doi: <https://doi.org/10.1016/j.psychres.2018.09.054>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Highlights

- Symmetry/hoarding symptom dimension predicts a better CBT outcome in pediatric OCD.
- Comorbidity in pediatric OCD is best described with three classes.
- Comorbidity classes show specific relation to OCD symptom dimensions in pediatric OCD.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/11024093>

Download Persian Version:

<https://daneshyari.com/article/11024093>

[Daneshyari.com](https://daneshyari.com)