

Accepted Manuscript

Caregiver correlates of patient-initiated violence in early psychosis

Lindsay Smith Dr

PII: S0165-1781(17)32052-8
DOI: <https://doi.org/10.1016/j.psychres.2018.09.011>
Reference: PSY 11725

To appear in: *Psychiatry Research*

Received date: 7 November 2017
Revised date: 29 August 2018
Accepted date: 7 September 2018



Please cite this article as: Lindsay Smith Dr , Caregiver correlates of patient-initiated violence in early psychosis, *Psychiatry Research* (2018), doi: <https://doi.org/10.1016/j.psychres.2018.09.011>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Violence towards caregivers in early psychosis was not uncommon in this sample.
- Patient-initiated violence was associated with poorer mental wellbeing amongst caregivers and more negative appraisals of caregiving.
- Patient-initiated violence was also related to high Expressed Emotion (criticism) and hostility in caregiver reports.
- Risk of violence in caregiving relationships should be assessed as a priority to guide caregiver interventions.

Download English Version:

<https://daneshyari.com/en/article/11024105>

Download Persian Version:

<https://daneshyari.com/article/11024105>

[Daneshyari.com](https://daneshyari.com)