Accepted Manuscript

Association between decreased serum albumin levels and depressive symptoms in patients with schizophrenia in a Chinese Han population: A pilot study

Shan Shan Chen , Hai Sen Xia , Feng Zhu , Guang Zhong Yin , Zheng Kang Qian , Cai Xia Jiang , Xiao Chu Gu , Xu Yuan Yin , Wen Jie Tang , Tian Hong Zhang , Ji Jun Wang , Qiu Fang Jia , Li Hui

 PII:
 S0165-1781(18)30994-6

 DOI:
 https://doi.org/10.1016/j.psychres.2018.10.012

 Reference:
 PSY 11788



To appear in: *Psychiatry Research*

Please cite this article as: Shan Shan Chen, Hai Sen Xia, Feng Zhu, Guang Zhong Yin, Zheng Kang Qian, Cai Xia Jiang, Xiao Chu Gu, Xu Yuan Yin, Wen Jie Tang, Tian Hong Zhang, Ji Jun Wang, Qiu Fang Jia, Li Hui, Association between decreased serum albumin levels and depressive symptoms in patients with schizophrenia in a Chinese Han population: A pilot study, *Psychiatry Research* (2018), doi: https://doi.org/10.1016/j.psychres.2018.10.012

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Decreased serum albumin levels may contribute to the psychopathology of schizophrenia.
- A decline in serum albumin levels was associated with the severity of depressive symptoms in patients with schizophrenia.

Download English Version:

https://daneshyari.com/en/article/11024109

Download Persian Version:

https://daneshyari.com/article/11024109

Daneshyari.com