Accepted Manuscript

Bioaccessibility of BDE 47 in a simulated gastrointestinal system and its metabolic transformation mechanisms in Caco-2□cells

Guangchun Chen, Xiaofeng Jiang, Chenggang Gu, Cheng Sun, Mei Li

PII: S0045-6535(18)31651-5

DOI: 10.1016/j.chemosphere.2018.09.008

Reference: CHEM 22088

To appear in: *ECSN*

Received Date: 28 July 2018

Revised Date: 29 August 2018

Accepted Date: 2 September 2018

Please cite this article as: Chen, G., Jiang, X., Gu, C., Sun, C., Li, M., Bioaccessibility of BDE 47 in a simulated gastrointestinal system and its metabolic transformation mechanisms in Caco-2□cells, *Chemosphere* (2018), doi: 10.1016/j.chemosphere.2018.09.008.

Bioaccessibility of BDE 47 in a simulated gastrointestinal system and its metabolic transformation mechanisms in Caco-2 cells

Authors:

Guangchun Chen[1,2], Xiaofeng Jiang[1], Chenggang Gu[3], Cheng Sun[1,*], Mei Li[1,*]

Affiliations of authors:

[1]State Key Laboratory of Pollution Control and Resource Reuse, School of the Environment, Nanjing University, Nanjing 210023, China

[2]Department of Environmental Engineering, Jiangsu University of Science and Technology, Zhenjiang 212003, China

[3]Key Laboratory of Soil Environment and Pollution Remediation, Institute of Soil Science, Chinese Academy of Sciences, Nanjing 210008, China

Corresponding authors:

Cheng Sun & Mei Li (Address: 163 Xianlin Ave., Nanjing University, Nanjing 210023, China)

Email address: envidean@nju.edu.cn (C Sun), meili@nju.edu.cn (M Li)

Abstract

Polybrominated diphenyl ethers (PBDEs) have been regarded as ubiquitous