

Accepted Manuscript

Research Article

Reduced nicotinamide adenine dinucleotide phosphate inhibits MPTP-induced neuroinflammation and neurotoxicity

Ying Zhou, Junchao Wu, Rui Sheng, Mei Li, Yan Wang, Rong Han, Feng Han, Zhong Chen, Zheng-Hong Qin

PII: S0306-4522(18)30577-3

DOI: <https://doi.org/10.1016/j.neuroscience.2018.08.032>

Reference: NSC 18625

To appear in: *Neuroscience*


Received Date: 19 May 2018

Revised Date: 3 August 2018

Accepted Date: 28 August 2018

Please cite this article as: Y. Zhou, J. Wu, R. Sheng, M. Li, Y. Wang, R. Han, F. Han, Z. Chen, Z-H. Qin, Reduced nicotinamide adenine dinucleotide phosphate inhibits MPTP-induced neuroinflammation and neurotoxicity, *Neuroscience* (2018), doi: <https://doi.org/10.1016/j.neuroscience.2018.08.032>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Reduced nicotinamide adenine dinucleotide phosphate inhibits MPTP-
induced neuroinflammation and neurotoxicity**

Ying Zhou¹, Junchao Wu¹, Rui Sheng¹, Mei Li², Yan Wang¹, Rong Han¹, Feng Han³,
Zhong Chen³, Zheng-Hong Qin^{1*}

¹Department of Pharmacology and Laboratory of Aging and Nervous Diseases, Jiangsu Key Laboratory of Neuropsychiatric Diseases, College of Pharmaceutical Sciences, Soochow University; Suzhou 215123, China.

²Institute of Pediatric Research, Children's Hospital of Soochow University; Suzhou 215025, China.

³Department of Pharmacology; Key Laboratory of Medical Neurobiology of the Ministry of Health of China; Zhejiang Province Key Laboratory of Neurobiology; College of Pharmaceutical Sciences; Zhejiang University; Hangzhou, 310058, China.

*Corresponding Author:

Zheng-Hong Qin, PhD

Department of Pharmacology and Laboratory of Aging and Nervous Diseases Soochow University School of Pharmaceutical Science, Suzhou 215123, China

Phone/Fax: 086-512-65882071; Email: qinzhenhong@suda.edu.cn

Abstract

It is generally believed that oxidative stress and neuroinflammation are implicated in the pathogenesis of Parkinson disease (PD). Reduced nicotinamide adenine dinucleotide phosphate (NADPH) has been demonstrated to have potent

Download English Version:

<https://daneshyari.com/en/article/11025220>

Download Persian Version:

<https://daneshyari.com/article/11025220>

[Daneshyari.com](https://daneshyari.com)