


Accepted Manuscript

MRI features of clinical outcome in bipolar disorder: a selected review.

N. Dusi , V. De Carlo , G. Delvecchio , M Bellan , J.C. Soares ,
P. Brambilla

PII: S0165-0327(18)30913-3
DOI: [10.1016/j.jad.2018.05.066](https://doi.org/10.1016/j.jad.2018.05.066)
Reference: JAD 9842



To appear in: *Journal of Affective Disorders*

Received date: 27 April 2018
Accepted date: 31 May 2018

Please cite this article as: N. Dusi , V. De Carlo , G. Delvecchio , M Bellan , J.C. Soares , P. Brambilla , MRI features of clinical outcome in bipolar disorder: a selected review., *Journal of Affective Disorders* (2018), doi: [10.1016/j.jad.2018.05.066](https://doi.org/10.1016/j.jad.2018.05.066)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- This review summarizes sMRI studies exploring the correlation between brain morphology and features of clinical outcome in BD.
- Morphological alterations, mainly in fronto-limbic areas, correlate with worse outcome in BD.
- Heterogeneity across studies and inconsistency on the outcome measures.

Download English Version:

<https://daneshyari.com/en/article/11025349>

Download Persian Version:

<https://daneshyari.com/article/11025349>

[Daneshyari.com](https://daneshyari.com)