Accepted Manuscript



Estimating and accounting for the effect of MRI scanner changes on longitudinal whole-brain volume change measurements

Hyunwoo Lee, Kunio Nakamura, Sridar Narayanan, Robert A. Brown, Douglas L. Arnold

PII: S1053-8119(18)31868-8

DOI: 10.1016/j.neuroimage.2018.09.062

Reference: YNIMG 15298

To appear in: *NeuroImage*

Received Date: 29 May 2018

Revised Date: 10 August 2018

Accepted Date: 21 September 2018

Please cite this article as: Lee, H., Nakamura, K., Narayanan, S., Brown, R.A., Arnold, D.L., for the Alzheimer's Disease Neuroimaging Initiative, Estimating and accounting for the effect of MRI scanner changes on longitudinal whole-brain volume change measurements, *NeuroImage* (2018), doi: https://doi.org/10.1016/j.neuroimage.2018.09.062.

Title:

Estimating and accounting for the effect of MRI scanner changes on longitudinal whole-brain volume change measurements

Authors:

Hyunwoo Lee [1], Kunio Nakamura [2], Sridar Narayanan [1], Robert A. Brown [1], Douglas L. Arnold [1], for the Alzheimer's Disease Neuroimaging Initiative [*]

[1] Montreal Neurological Institute, McGill University, Montreal, Quebec, Canada

[2] Lerner Research Institute, Cleveland Clinic, Cleveland, Ohio, USA

* Data used in preparation of this article were obtained from the Alzheimer's Disease Neuroimaging Initiative (ADNI) database (adni.loni.usc.edu). As such, the investigators within the ADNI contributed to the design and implementation of ADNI and/or provided data but did not participate in analysis or writing of this report. A complete listing of ADNI investigators can be found at: http://adni.loni.usc.edu/wp-content/uploads/how_to_apply/ADNI_Acknowledgement_List.pdf

Corresponding author:

Hyunwoo Lee

HYUNWOO.LEE@MAIL.MCGILL.CA

Address:

3801 Rue University, WB327, Montreal, Quebec, Canada, H3A 2B4