

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Oxytocin differentially modulates specific dorsal and ventral striatal functional connections with frontal and cerebellar regions

Running title: Oxytocin differentially modulates basal ganglia connectivity

Authors

Zhiying Zhao^a, Xiaole Ma^a, Yayuan Geng^a, Weihua Zhao^a, Feng Zhou^a, Jiaoan Wang^a, Sebastian Markett^b, Bharat B. Biswal^{a,c}, Yina Ma^d, Keith M. Kendrick^a, Benjamin Becker^{a*}

Affiliations

^aThe Clinical Hospital of Chengdu Brain Science Institute, MOE Key Laboratory for Neuroinformation, University of Electronic Science and Technology of China, Chengdu, China

^bDepartment of Psychology, Humboldt University Berlin, Berlin, Germany

^cDepartment of Biomedical Engineering, New Jersey Institute of Technology, Newark, NJ, USA

^dState Key Laboratory of Cognitive Neuroscience and Learning; IDG/McGovern Institute of Brain Research, Beijing Normal University, Beijing, China

***Correspondence**

Benjamin Becker, The Clinical Hospital of Chengdu Brain Science Institute, MOE Key Laboratory for Neuroinformation, University of Electronic Science and Technology of China, Xiyuan Avenue, 2006, 611731 Chengdu, China. Tel: 86-28-61830811, Fax: 86-28-61830811.
Email: ben_becker@gmx.de

Download English Version:

<https://daneshyari.com/en/article/11025532>

Download Persian Version:

<https://daneshyari.com/article/11025532>

[Daneshyari.com](https://daneshyari.com)