Accepted Manuscript

Acylation of the S413-PV cell-penetrating peptide as a means of enhancing its capacity to mediate nucleic acid delivery: Relevance of peptide/lipid interactions

Catarina M. Morais, Ana M. Cardoso, Pedro P. Cunha, Luísa Aguiar, Nuno Vale, Emílio Lage, Marina Pinheiro, Cláudia Nunes, Paula Gomes, Salette Reis, M. Margarida C.A. Castro, Maria C. Pedroso de Lima, Amália S. Jurado



PII: S0005-2736(18)30295-5

DOI: doi:10.1016/j.bbamem.2018.10.002

Reference: BBAMEM 82863

To appear in: BBA - Biomembranes

Received date: 8 March 2018
Revised date: 9 September 2018
Accepted date: 2 October 2018

Please cite this article as: Catarina M. Morais, Ana M. Cardoso, Pedro P. Cunha, Luísa Aguiar, Nuno Vale, Emílio Lage, Marina Pinheiro, Cláudia Nunes, Paula Gomes, Salette Reis, M. Margarida C.A. Castro, Maria C. Pedroso de Lima, Amália S. Jurado, Acylation of the S413-PV cell-penetrating peptide as a means of enhancing its capacity to mediate nucleic acid delivery: Relevance of peptide/lipid interactions. Bbamem (2018), doi:10.1016/j.bbamem.2018.10.002

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Acylation of the S4₁₃-PV cell-penetrating peptide as a means of enhancing its capacity to mediate nucleic acid delivery: relevance of peptide/lipid interactions

Catarina M. Morais^{a,b}, Ana M. Cardoso^a, Pedro P. Cunha^{a1}, Luísa Aguiar^c, Nuno Vale^d, Emílio Lage^e, Marina Pinheiro^e, Cláudia Nunes^e, Paula Gomes^c, Salette Reis^e, M. Margarida C.A. Castro^{b,f}, Maria C. Pedroso de Lima^a and Amália S. Jurado^{a,b*}

- ^a CNC- Center for Neuroscience and Cell Biology, University of Coimbra, Coimbra, Portugal
- ^b Department of Life Sciences, Faculty of Science and Technology, University of Coimbra, Coimbra, Portugal
- ^c LAQV-REQUIMTE, Department of Chemistry and Biochemistry, Faculty of Sciences, University of Porto, Porto, Portugal
- ^d UCIBIO-REQUIMTE, Laboratory of Pharmacology, Department of Drug Sciences, Faculty of Pharmacy, University of Porto, Porto, Portugal
- ^e LAQV-REQUIMTE, Department of Chemical Sciences, Laboratory of Applied Chemistry, Faculty of Pharmacy, University of Porto, Porto, Portugal
- ^f Coimbra Chemistry Center, University of Coimbra, Coimbra, Portugal

*Corresponding author: Department of Life Sciences, Faculty of Sciences and Technology, University of Coimbra, 3000-456 Coimbra, Portugal. Tel: +351 239 240 709; Fax: +351 239 822 776; E-mail:asjurado@bioq.uc.pt (Amália S. Jurado)

Abbreviations: DPH, 1,6-diphenyl-1,3,5-hexatriene; DOPE, 1,2-dioleoyl-*sn*-glycero-3-phosphoethanolamine; DOPC, 1,2-dioleoyl-*sn*-glycero-3-phosphocholine; DPPC, 1,2-dipalmitoyl-*sn*-glycero-3-phospho-(1'-*rac*-glycerol); MLVs, multilamellar vesicles; DSC, differential scanning calorimetry; ³¹P-NMR, phosphorus-31 nuclear magnetic resonance; GBM, glioblastoma; CPP, cell-penetrating peptide; siRNA, small interfering RNA; GFP, green fluorescent protein.

¹Present address: Department of Physiology, Development and Neuroscience, University of Cambridge, United Kingdom

Download English Version:

https://daneshyari.com/en/article/11026175

Download Persian Version:

https://daneshyari.com/article/11026175

<u>Daneshyari.com</u>