Accepted Manuscript

Title: Bright Greenish-Yellow Pigments Based on $Sc_{2-x}Fe_xO_3$ Solid Solutions with Bixbyite Structure

Authors: Hideki Hashimoto, Kotaro Sayo, Hidetaka Asoh,

Tatsuo Fujii, Mikio Takano, Atsunobu Masuno

PII: S0025-5408(18)31010-9

DOI: https://doi.org/10.1016/j.materresbull.2018.09.035

Reference: MRB 10202

To appear in: *MRB*

Received date: 4-4-2018 Revised date: 23-8-2018 Accepted date: 19-9-2018

Please cite this article as: Hashimoto H, Sayo K, Asoh H, Fujii T, Takano M, Masuno A, Bright Greenish-Yellow Pigments Based on $Sc_{2minusx}Fe_xO_3$ Solid Solutions with Bixbyite Structure, *Materials Research Bulletin* (2018), https://doi.org/10.1016/j.materresbull.2018.09.035

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Bright Greenish-Yellow Pigments Based on $Sc_{2-x}Fe_xO_3$ Solid Solutions with Bixbyite Structure

Hideki Hashimoto,^{1*} Kotaro Sayo,¹ Hidetaka Asoh,¹ Tatsuo Fujii,² Mikio Takano,³ Atsunobu Masuno^{4,5,6}

¹Department of Applied Chemistry, School of Advanced Engineering, Kogakuin University, 2665-1 Nakano, Hachioji, Tokyo 192-0015, Japan

²Graduate School of Natural Science and Technology, Okayama University, Okayama 700-8530, Japan

³Research Institute for Production Development, Kyoto 606-0805, Japan

⁴Graduate School of Science and Technology, Hirosaki University, Hirosaki, 036-8561, Japan

⁵Center for Materials Research by Information Integration, Research and Services Division of

Materials Data and Integrated System, National Institute for Materials Science, 1-2-1 Sengen,

Tsukuba, Ibaraki 305-0047, Japan

⁶Laboratory for Materials and Structures, Tokyo Institute of Technology, 259 Nagatuta-cho, Midori-ku, Yokohama, Kanagawa 226-8503, Japan

*Corresponding author. Tel. & fax.: +81 426284537; E-mail: hideki-h@cc.kogakuin.ac.jp

Download English Version:

https://daneshyari.com/en/article/11026763

Download Persian Version:

https://daneshyari.com/article/11026763

<u>Daneshyari.com</u>