## **Accepted Manuscript**

The influence of acetate group on C2 is evidenced through NPA and MK charges FT-IR, FT-Raman, UV–Vis, NMR and structural studies of carquejyl acetate, a distinctive component of the essential oil from *Baccharis trimera* (less.) DC. (Asteraceae)

Manuel Minteguiaga, Eduardo Dellacassa, Maximiliano A. Iramain, César A.N. Catalán, Silvia A. Brandán

PII: S0022-2860(18)31187-6

DOI: 10.1016/j.molstruc.2018.10.010

Reference: MOLSTR 25739

To appear in: Journal of Molecular Structure


Received Date: 30 July 2018


Revised Date: 5 September 2018

Accepted Date: 3 October 2018

Please cite this article as: M. Minteguiaga, E. Dellacassa, M.A. Iramain, Cé.A.N. Catalán, S.A. Brandán, The influence of acetate group on *C2* is evidenced through NPA and MK charges FT-IR, FT-Raman, UV–Vis, NMR and structural studies of carquejyl acetate, a distinctive component of the essential oil from *Baccharis trimera* (less.) DC. (Asteraceae), *Journal of Molecular Structure* (2018), doi: https://doi.org/10.1016/j.molstruc.2018.10.010.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.





## Download English Version:

## https://daneshyari.com/en/article/11027156

Download Persian Version:

https://daneshyari.com/article/11027156

<u>Daneshyari.com</u>