Accepted Manuscript

Title: Rich growth medium promotes an increased on Mn(II) removal and manganese oxide production by *Serratia marcescens* strains isolates from wastewater

Authors: Pollyana S. Queiroz, Natália R. Barboza, Mônica M. Cordeiro, Versiane A. Leão, Renata Guerra-Sá



Please cite this article as: Queiroz PS, Barboza NR, Cordeiro MM, Leão VA, Guerra-Sá R, Rich growth medium promotes an increased on Mn(II) removal and manganese oxide production by *Serratia marcescens* strains isolates from wastewater, *Biochemical Engineering Journal* (2018), https://doi.org/10.1016/j.bej.2018.09.018

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Rich growth medium promotes an increased on Mn(II) removal and manganese oxide production by *Serratia marcescens* strains isolates from wastewater

Pollyana S. Queiroz¹, Natália R. Barboza¹, Mônica M. Cordeiro¹, Versiane A. Leão², Renata Guerra-Sá^{1*}

¹ Laboratório de Bioquímica e Biologia Molecular, Departamento de Ciências Biológicas (DECBI) & Núcleo de Pesquisa em Ciências Biológica (NUPEB), Universidade Federal de Ouro Preto, Ouro Preto, MG, Brazil

² Laboratório de Bio & Hidrometalurgia, Departamento de Engenharia Metalúrgica e de Materiais (DEMET), Escola de Minas, Universidade Federal de Ouro Preto, Ouro Preto, MG, Brazil

*Corresponding author: Renata Guerra-Sá.

Address: Universidade Federal de Ouro Preto, Campus Morro do Cruzeiro, s/n, Ouro Preto, MG, Brazil, CEP: 35400-000.

E-mail: rguerrasa@gmail.com

Phone: +55 31 3559 1697; Fax: +55 31 3559 1681.

† Electronic supplementary information

Graphical abstract



Highlights

- Serratia marcescens strains exhibited high tolerance to Mn(II) (0–2000 mg L⁻¹)
- NB medium greatly influenced the Mn removal and oxide formation
- EDX analysis revealed Mn outside of the cell for non-pigmented CL11 strain
- EELS analysis revealed Mn inside the cell for pigmented LG1 strain
- Both strains showed a good performance, especially the pigmented strain

Download English Version:

https://daneshyari.com/en/article/11028471

Download Persian Version:

https://daneshyari.com/article/11028471

Daneshyari.com