Accepted Manuscript

Investigations of MODIS AOD and cloud properties with CERES sensor based net cloud radiative effect and a NOAA HYSPLIT Model over Bangladesh for the period 2001–2016

COOSS-PRECEDITATION ACROSCUS MAIANDA WEARIER MODIFICATION AT MOSPHERIC RESEARCH

Arfan Ali, Monirul Islam, Nazrul Islam, Mansour Almazroui

PII: S0169-8095(18)30494-0

DOI: doi:10.1016/j.atmosres.2018.09.001

Reference: ATMOS 4360

To appear in: Atmospheric Research

Received date: 18 April 2018
Revised date: 7 August 2018
Accepted date: 5 September 2018

Please cite this article as: Arfan Ali, Monirul Islam, Nazrul Islam, Mansour Almazroui, Investigations of MODIS AOD and cloud properties with CERES sensor based net cloud radiative effect and a NOAA HYSPLIT Model over Bangladesh for the period 2001–2016. Atmos (2018), doi:10.1016/j.atmosres.2018.09.001

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Investigations of MODIS AOD and cloud properties with CERES sensor based net cloud radiative effect and a NOAA HYSPLIT Model over Bangladesh for the period 2001–2016 Md. Arfan Ali^{1,*} arfan.ray@gmail.com, Md. Monirul Islam², Md. Nazrul Islam¹, Mansour Almazroui¹

¹Center of Excellence for Climate Change Research/Department of Meteorology, King Abdulaziz University, Jeddah, Saudi Arabia

²Department of Mathematics and Natural Sciences, BRAC University Dhaka, Bangladesh *Corresponding author.

Download English Version:

https://daneshyari.com/en/article/11028683

Download Persian Version:

https://daneshyari.com/article/11028683

<u>Daneshyari.com</u>