

Accepted Manuscript

Title: Fluorescent probe detect distinguishly sulfite/hydrogen sulfide and thiol via two emission channels in *vivo*

Authors: Xixi Xie, Caixia Yin, Yongkang Yue, Jianbin Chao, Fangjun Huo



PII: S0925-4005(18)31684-8
DOI: <https://doi.org/10.1016/j.snb.2018.09.064>
Reference: SNB 25370

To appear in: *Sensors and Actuators B*

Received date: 11-5-2018
Revised date: 26-8-2018
Accepted date: 15-9-2018

Please cite this article as: Xie X, Yin C, Yue Y, Chao J, Huo F, Fluorescent probe detect distinguishly sulfite/hydrogen sulfide and thiol via two emission channels in *vivo*, *Sensors and amp; Actuators: B. Chemical* (2018), <https://doi.org/10.1016/j.snb.2018.09.064>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Fluorescent probe detect distinguishly sulfite/hydrogen sulfide and thiol via two emission channels *in vivo*

Xixi Xie,^a Caixia Yin,^{*,a} Yongkang Yue,^a Jianbin Chao,^b Fangjun Huo^{**,b}

^aKey Laboratory of Chemical Biology and Molecular Engineering of Ministry of Education, Key Laboratory of Materials for Energy Conversion and Storage of Shanxi Province, Institute of Molecular Science, Shanxi University, Taiyuan, 030006, China;


^bResearch Institute of Applied Chemistry, Shanxi University, Taiyuan, 030006, China.

*Corresponding author:

F. J. Huo, E-mail: huofj@sxu.edu.cn_Tel/Fax: +86-351-7018329;

C.X. Yin, E-mail: yincx@sxu.edu.cn,Tel/Fax: +86-351-7011022.

Graphical Abstract



Highlights

- A probe for detecting distinguishly sulfite/hydrogen sulfide and thiol via two emission channels was obtained.
- The recognition process showed different reaction properties between sulfite/hydrogen sulfide and thiol.
- The probe is low toxic and could be applied in bio-imaging and live mouse tissues.

Abstract

For SO₂, another Cys metabolite, to simultaneously distinguish SO₂ over thiols are still a challenge. Now we have successfully synthesized a novel coumarin-based

Download English Version:

<https://daneshyari.com/en/article/11029933>

Download Persian Version:

<https://daneshyari.com/article/11029933>

[Daneshyari.com](https://daneshyari.com)