

## Accepted Manuscript

Title: Precision medicine in head and neck cancer

Authors: Orit Kaidar-Person, Ziv Gil, Salem Billan


PII: S1368-7646(18)30046-3  
DOI: <https://doi.org/10.1016/j.drug.2018.09.001>  
Reference: YDRUP 625

To appear in: *Drug Resistance Updates*

Received date: 31-7-2018  
Revised date: 11-9-2018  
Accepted date: 23-9-2018

Please cite this article as: Kaidar-Person O, Gil Z, Billan S, Precision medicine in head and neck cancer, *Drug Resistance Updates* (2018), <https://doi.org/10.1016/j.drug.2018.09.001>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## Precision medicine in head and neck cancer

Orit Kaidar-Person<sup>1</sup>, Ziv Gil<sup>2,3</sup> and Salem Billan<sup>1,2</sup>

<sup>1</sup>The Oncology Institute, Radiation Oncology Unit, <sup>2</sup> Head and Neck Center, <sup>3</sup>Department of Otolaryngology Head and Neck Surgery and the Laboratory for Applied Cancer Research, Rambam healthcare Campus, Rappaport Institute of Medicine and Research, the Technion, Israel Institute of Technology, Haifa, Israel

**Correspondence:** Ziv Gil, MD PhD

Chairman, Department of Otolaryngology Head and Neck Surgery,  
Rambam Medical Center, 8 Ha'Aliya Hashniya Street, POB 9602,  
Haifa 31096, Israel

Email: ziv@baseofskull.org

### Abstract

Head and Neck cancer is among the most common cancers worldwide, with a high prevalence in south East Asia, Brazil and central Europe. Head and Neck Squamous cell carcinoma (HNSCC) is associated with elevated mutational load but lacks specific genetic mutations. Exposure to carcinogens including tobacco and alcohol are the most dominant etiologic factors of HNSCC, while Epstein-Barr (EBV) and Human Papilloma Viruses

Download English Version:

<https://daneshyari.com/en/article/11030826>

Download Persian Version:

<https://daneshyari.com/article/11030826>

[Daneshyari.com](https://daneshyari.com)