Accepted Manuscript

Assembly of Poly-3-(hexylthiophene) Nanocrystals in Marginal Solvent: the Role of PCBM

Marta Da Pian, Michele Maggini, G. Julius Vancso, Valerio Causin, Edmondo M. Benetti

PII: S0014-3057(18)30780-8

DOI: https://doi.org/10.1016/j.eurpolymj.2018.09.049

Reference: EPJ 8622

To appear in: European Polymer Journal

Received Date: 26 April 2018
Revised Date: 19 September 2018
Accepted Date: 24 September 2018



Please cite this article as: Da Pian, M., Maggini, M., Julius Vancso, G., Causin, V., Benetti, E.M., Assembly of Poly-3-(hexylthiophene) Nanocrystals in Marginal Solvent: the Role of PCBM, *European Polymer Journal* (2018), doi: https://doi.org/10.1016/j.eurpolymj.2018.09.049

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Assembly of Poly-3-(hexylthiophene)

Nanocrystals in Marginal Solvent: the Role of

PCBM

Marta Da Pian,^a Michele Maggini,^a G. Julius Vancso,^b Valerio Causin*^a and Edmondo M. Benetti*^c

^a Department of Chemical Science, University of Padova, via Marzolo 1, 35131 Padova (Italy)

^b Materials Science and Technology of Polymers (MTP), University of Twente, Mesa+ Institute for Nanotechnology, 7500 AE Enschede (The Netherlands).

^c Polymer Surfaces Group, Laboratory for Surface Science and Technology, Department of Materials, ETH Zürich, Vladimir-Prelog-Weg 1-5/10, CH-8093 Zurich, Switzerland

Download English Version:

https://daneshyari.com/en/article/11031196

Download Persian Version:

 $\underline{https://daneshyari.com/article/11031196}$

Daneshyari.com