Accepted Manuscript

Widespread distribution of tauopathy in preclinical Alzheimer disease

Stephanie A. Schultz, Brian A. Gordon, Shruti Mishra, Yi Su, Richard J. Perrin, Nigel J. Cairns, John C. Morris, Beau M. Ances, Tammie L.S. Benzinger

PII: S0197-4580(18)30313-0

DOI: 10.1016/j.neurobiolaging.2018.08.022

Reference: NBA 10358

To appear in: Neurobiology of Aging


Received Date: 6 February 2018

Revised Date: 24 August 2018

Accepted Date: 25 August 2018

Please cite this article as: Schultz, S.A., Gordon, B.A., Mishra, S., Su, Y., Perrin, R.J., Cairns, N.J., Morris, J.C., Ances, B.M., Benzinger, T.L.S., Widespread distribution of tauopathy in preclinical Alzheimer disease, *Neurobiology of Aging* (2018), doi: 10.1016/j.neurobiolaging.2018.08.022.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Tau in Preclinical AD

Title: Widespread distribution of tauopathy in preclinical Alzheimer disease

Authors: Stephanie A. Schultz, BS^{1,2}, Brian A. Gordon, PhD^{2,3,4}, Shruti Mishra, MD², Yi Su,

PhD², Richard J. Perrin, MD, PhD^{3,5}, Nigel J. Cairns, PhD^{3,5,6}, John C. Morris, MD^{3,6}, Beau M.

Ances, MD, PhD*^{1,3,6}, Tammie L.S. Benzinger, MD, PhD*^{1,2,3,7}

¹ Division of Biology and Biomedical Sciences, Washington University School of Medicine, St. Louis, MO.

² Department of Radiology, Washington University School of Medicine, St. Louis, MO.

³ Knight Alzheimer's Disease Research Center, Washington University School of Medicine, St. Louis, MO.

⁴ Department of Psychological & Brain Sciences, Washington University, St. Louis, MO

⁵ Department of Pathology and Immunology, Washington University School of Medicine, St. Louis, MO

⁶ Department of Neurology, Washington University School of Medicine, St. Louis, MO.

⁷ Department of Neurological Surgery, Washington University School of Medicine, St. Louis, MO.

*=Contributed equally

Corresponding Author:

Tammie Benzinger, MD, Ph.D, Washington University School of Medicine 660 South Euclid, Campus 8131 St. Louis, MO 63110 Email: benzingert@wustl.edu

Acknowledgements:

This research was funded by the National Institutes of Health (NIH) grants P50AG005681, P01AG026276, P01AG003991, R01AG043434, UL1TR000448, R01EB009352, 1P30NS098577, K01AG053474-01A1, the Hope Center for Neurodegenerative Diseases, the Barnes-Jewish Hospital Foundation (BJHF) and the BJHF Willman Scholar Fund. Avid Radiopharmaceuticals (a wholly owned subsidiary of Eli Lilly provided doses of 18F-florbetapir, partial funding for 18F-florbetapir scanning, precursor for 18F-flortaucipir and technology transfer for manufacturing of 18F-flortaucipir. Download English Version:

https://daneshyari.com/en/article/11031670

Download Persian Version:

https://daneshyari.com/article/11031670

Daneshyari.com