

Chemomechanical Interplay of Layered Cathode Materials undergoing Fast Charging in Lithium Batteries

Sihao Xia, Linqin Mu, Zhengrui Xu, Junyang Wang, Chenxi Wei, Lei Liu, Piero Pianetta, Kejie Zhao, Xiqian Yu, Feng Lin, Yijin Liu



PII: S2211-2855(18)30695-5
DOI: <https://doi.org/10.1016/j.nanoen.2018.09.051>
Reference: NANOEN3056

To appear in: *Nano Energy*

Received date: 17 August 2018
Revised date: 19 September 2018
Accepted date: 20 September 2018

Cite this article as: Sihao Xia, Linqin Mu, Zhengrui Xu, Junyang Wang, Chenxi Wei, Lei Liu, Piero Pianetta, Kejie Zhao, Xiqian Yu, Feng Lin and Yijin Liu, Chemomechanical Interplay of Layered Cathode Materials undergoing Fast Charging in Lithium Batteries, *Nano Energy*, <https://doi.org/10.1016/j.nanoen.2018.09.051>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Chemomechanical Interplay of Layered Cathode Materials undergoing Fast Charging in Lithium Batteries

Sihao Xia^{a,b,1}, Linqin Mu^{c,1}, Zhengrui Xu^c, Junyang Wang^d, Chenxi Wei^b, Lei Liu^a, Piero Pianetta^b, Kejie Zhao^e, Xiqian Yu^{d,*}, Feng Lin^{c,*}, Yijin Liu^{b,*}

^aSchool of Electronic and Optical Engineering, Nanjing University of Science and Technology, Nanjing, Jiangsu 210094, China

^bStanford Synchrotron Radiation Lightsource, SLAC National Accelerator Laboratory, Menlo Park, CA 94025, USA

^cDepartment of Chemistry, Virginia Tech, Blacksburg, VA 24061, USA

^dBeijing National Laboratory for Condensed Matter Physics, Institute of Physics, CAS, Beijing 100190, China

^eSchool of Mechanical Engineering, Purdue University, West Lafayette, IN 47906, USA

X.Y. (xyu@iphy.ac.cn),

F.L. (fenglin@vt.edu)

Y.L. (liuyijin@slac.stanford.edu)

*Correspondence and requests for materials should be addressed to.

Abstract

Morphological defects contribute to chronic and acute failures of batteries. The development

¹ These authors contributed equally to this work.

Download English Version:

<https://daneshyari.com/en/article/11032162>

Download Persian Version:

<https://daneshyari.com/article/11032162>

[Daneshyari.com](https://daneshyari.com)