

Accepted Manuscript

Title: Applicability of Willems methods and Demirjian's four teeth method for dental age estimation: Cross sectional study on Tunisian sub-adults

Authors: Hichem Nemsı, Malek Ben Daya, Nidhal Haj Salem, Fatma Masmoudi, Inès Bouanène, Fethi Maatouk, Abir Aissaoui, Ali Chadly



PII: S0379-0738(18)30493-6
DOI: <https://doi.org/10.1016/j.forsciint.2018.08.007>
Reference: FSI 9431

To appear in: *FSI*

Received date: 27-2-2018
Revised date: 17-7-2018
Accepted date: 2-8-2018

Please cite this article as: Hichem Nemsı, Malek Ben Daya, Nidhal Haj Salem, Fatma Masmoudi, Inès Bouanène, Fethi Maatouk, Abir Aissaoui, Ali Chadly, Applicability of Willems methods and Demirjian's four teeth method for dental age estimation: Cross sectional study on Tunisian sub-adults, Forensic Science International <https://doi.org/10.1016/j.forsciint.2018.08.007>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Applicability of Willems methods and Demirjian's four teeth method for dental age estimation: Cross sectional study on Tunisian sub-adults

Author names and affiliations:

Hichem Nemsia*, Malek ben Daya^c, Nidhal Haj salem^a, Fatma Masmoudi^c, Inès Bouanène^b, Fethi Maatouk^c, Abir Aissaoui^a, Ali Chadly^a

a: Department of Forensic Medicine, Laboratory of research Anthropology and bone biomechanic (LR12SP14) faculty of Medicine, University of Monastir, 5000, Tunisia

b: Department of Epidemiology and Preventive Medicine, Faculty of Medicine of Monastir, University of Monastir, TUNISIA

c: Dentistry School. University of Monastir - Tunisia. Dento-Facial Biological and Clinical Approach Laboratory LR12ES10

* Corresponding author

E-mail address: hichem_ne@yahoo.fr

Present address: Department of forensic medicine, Fattouma Bourguiba Hospital, Monastir, 5000, Tunisia

Hichem Nemsia: Conceptualization, Methodology, Writing – Original Draft. **Malek ben Daya:** Software, Investigation. **Nidhal Haj Salem:** Validation – Investigation. **Fatma Masmoudi:** Validation, Data Curation **Inès Bouanène:** Formal Analysis. **Fethi Maatouk:** Resources. **Abir Aissaoui:** Investigation, Project Administration. **Ali Chadly:** Writing – Review & Editing, Supervision

Highlights

- All tested methods could be applicable to estimate age in Tunisian population.
- The Demirjian's four teeth method was more accurate in estimating the dental age than the Willems I and II methods.
- The Demirjian's four teeth method should be applied in both sexes.
- When the sex is unknown, the Willems II method could be applied.

Abstract

This study aims to evaluate and compare the applicability of three dental methods for age estimation, including Demirjian's four teeth, Willems I, and Willems II methods in a sample of Tunisian

Download English Version:

<https://daneshyari.com/en/article/11032968>

Download Persian Version:

<https://daneshyari.com/article/11032968>

[Daneshyari.com](https://daneshyari.com)