


Accepted Manuscript

Research on viral agents associated with feline reproductive problems reveals a high association with feline panleukopenia virus



Ilanna Vanessa Prito de Medeiros Oliveira ,
Débora Alves de Carvalho Freire , Heider Irinaldo Pereira Ferreira ,
Gabriela Hemylin Ferreira Moura , Célio Souza da Rocha ,
Cecilia Irene Pérez Calabuig , Jacqueline Kazue Kurissio ,
João Pessoa Araújo Junior ,
João Marcelo Azevedo de Paula Antunes

PII: S2451-943X(18)30025-5
DOI: [10.1016/j.vas.2018.06.004](https://doi.org/10.1016/j.vas.2018.06.004)
Reference: VAS 26

To appear in: *Veterinary and Animal Science*

Received date: 1 March 2018
Revised date: 22 May 2018
Accepted date: 19 June 2018

Please cite this article as: Ilanna Vanessa Prito de Medeiros Oliveira ,
Débora Alves de Carvalho Freire , Heider Irinaldo Pereira Ferreira , Gabriela Hemylin Ferreira Moura ,
Célio Souza da Rocha , Cecilia Irene Pérez Calabuig , Jacqueline Kazue Kurissio ,
João Pessoa Araújo Junior , João Marcelo Azevedo de Paula Antunes , Research on viral agents
associated with feline reproductive problems reveals a high association with feline panleukopenia
virus, *Veterinary and Animal Science* (2018), doi: [10.1016/j.vas.2018.06.004](https://doi.org/10.1016/j.vas.2018.06.004)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- CPPV-1 was found in all females of the study, tested with qPCR;
- Was found CPPV-1 in fetal/maternal tissue in the post-mortem examination;
- Feline females (with and without **R**eproductive **F**ailures) were negative for commonly-occurring RF viruses in the same (FIV, FeLV e FHV-1);
- Females showed clinical signs only related to RF and abnormalities WBCC;
- These results provide the first description of an FPV agent causing only RF-related clinical signs in queens.

ACCEPTED MANUSCRIPT

Download English Version:

<https://daneshyari.com/en/article/11033988>

Download Persian Version:

<https://daneshyari.com/article/11033988>

[Daneshyari.com](https://daneshyari.com)