Accepted Manuscript

The role of triiodothyronine hormone and mechanically-stressed endothelial cell paracrine signalling synergism in gene reprogramming during hBMSC-stimulated osteogenic phenotype *in vitro*

Rodrigo A. da Silva, Amanda Fantini de Camargo Andrade, Geórgia da Silva Feltran, Célio Júnior da C. Fernandes, Rahyza Inacio F. de Assis, Marcel Rodrigues Ferreira, Denise C. Andia, Willian F. Zambuzzi

PII: S0303-7207(18)30251-X

DOI: 10.1016/j.mce.2018.08.008

Reference: MCE 10286

To appear in: *Molecular and Cellular Endocrinology*

Received Date: 7 March 2018

Revised Date: 19 August 2018

Accepted Date: 20 August 2018

Please cite this article as: da Silva, R.A., de Camargo Andrade, A.F., da Silva Feltran, Geó., Fernandes, Cé.Jú.da.C., de Assis, R.I.F., Ferreira, M.R., Andia, D.C., Zambuzzi, W.F., The role of triiodothyronine hormone and mechanically-stressed endothelial cell paracrine signalling synergism in gene reprogramming during hBMSC-stimulated osteogenic phenotype *in vitro*, *Molecular and Cellular Endocrinology* (2018), doi: 10.1016/j.mce.2018.08.008.