

- Acetylene, thin films on silicone, LDI-FT-MS, 411
- Acylglycines, urinary, analysis by UPLC-QLTC-MS, 2105
- Adrenal glands, rat ovaries and, DBDE localization by TOF-SIMS, 1836
- Affinity mass spectroscopy
- HIV gp120 epitopes mapped by MS, 1687
  - IMALDI MS assay for diagnosis of hypertension, 1680
  - phosphopeptide enrichment by MOAC resins, MS/MS, 1649
  - protein-ligand interactions, quantification by SAW-ESI-MS, 1643
  - proteins and peptides, affinity determination using HDX, 1660
  - serum protein samples in preeclampsia, multifactorial analysis of affinity-MS data, 1699
  - targeted data acquisition for improved quantification, proteomics, MS, 1668
- Agarans, carrageenans and, sulfated oligosaccharide isomers, ESI-MS, 1404
- Air
- atmosphere samples, expansion intervacuum in trapping particulate ions, 242
  - trace analyses, handheld mass spectrometer, APCI, 132
- L-Alanine, sarcosine and, separation from urine, ESI and IMS-(DMA)-MS, 1129
- Aldehydes, PFBHA-derivatized, detection limits of EI- and ECNI-MS, 592
- Amino acids
- distribution in SILAC experiments, QTIPS, 1417
  - effect of cysteine or arginine on peptide copper binding, MALDI-TOF-MS, 522
  - influence of side chains on opening of cyclic  $b_s$  ions, 1028
  - L-alanine and sarcosine separation from urine, ESI and IMS-(DMA)-MS, 1129
  - peptide hydrogen transfer affected by charge state and composition of, ECD, 1979
  - reactions of aromatic  $\sigma$ ,  $\sigma$  biradical with gas phase, 1737
- 5-Aminosalicylic acid matrix, peptides, decay and fragmentation characteristics using, MALDI-ISD-MS, 979
- Amyloid  $\beta$  peptides, interaction with anti-amyloid agents, ESI-MS, 1506
- Amyloids, investigating assembly pathways by ESI MS, 1087
- Analytes
- ionization of, regimen transition in electromechanical fluid atomization and, MS, 1900
  - low-molecular weight, binary matrix for visible-MALDI, 294
- Androgens, analysis of SARMs by GC-microchip APPI-MS, 310
- Anion exchange chromatography, enrichment of sulfated glycans by, prior to MS, 348
- Anions
- cations and, in siRNA, IRMPD, 580
  - metal, alkali metal oxalates, from CID, 1944
  - protoporphyrin-IX triplet-triplet absorption by, electrostatic ion storage ring, 1884
- Antigen/antibody interactions, proteins and peptides, affinity determination using HDX, 1660
- AP-11, protein composition analyzed using MALDI LTQ Orbitrap, 34
- APPI-MS. *see* Atmospheric pressure photoionization mass spectrometry
- Arabidopsis thaliana*, neutral cuticular lipids from, MALDI imaging in insects and plants, 220
- Arginine
- effect on macrocyclic  $b$  ion formation, protonated peptides, 1322
  - methylation of lysine and, ETD-MS, 88
- [ArNi(PPh<sub>3</sub>)<sub>3</sub>]<sub>N</sub>, gas-phase cyclometalations, ESI-MS/MS, 1265
- ASAP. *see* Atmospheric solids analysis probes
- Aspartic residues, isoaspartic and differentiation, ETD, 1012
- Asymmetric charge partitioning, DNA duplex dissociation and, 1144
- Atmosphere samples, expansion intervacuum in trapping particulate ions, 242
- Atmospheric pressure chemical ionization
- effect-directed analysis of mutagenic compounds, HPLC/APCI-FTICR-MS, 1016
  - handheld mass spectrometer, trace air analyses, 132
- Atmospheric pressure matrix-assisted laser dissociation/ionization mass spectrometry, *B. thuringiensis* spores, proteomics approach to species-level identification, 993
- Atmospheric pressure photoionization-ion mobility spectrometry-mass spectrometry, separation of different ion structures in, 1565
- Atmospheric pressure photoionization mass spectrometry
- gas phase Meerwein reaction, epoxides, 1802
  - GC-microchip, analysis of SARMs by, 310
- Atmospheric solids analysis probes, sample introduction using, LSI-MS, 1889
- ATP binding sites, protein kinases, top-down MS, 899
- $b$  ions
- analysis by H/D exchange kinetics during FT-ICR-MS, 358
  - effect of arginine on macrocyclic formation of, protonated peptides, 1322
  - effect of His residues on cyclization of, peptides, 1352
  - macrocyclic, peptide sequence scrambling via, MS/MS, 2085
- $b_s$  ions, cyclic, influence of AA side chains on opening, 1028
- Bacillus thuringiensis*, spores, proteomics approach to species-level identification, AP-MALDI-MS, 993
- Bacteriorhodopsin, site-directed mutagenesis and oxidative labeling, MS, 1947
- Benzene, handheld mass spectrometer, trace air analyses, APCI, 132
- Benzene-to-phenol conversion, by FeO<sup>+</sup> intermediates in, IRMPD, 750
- Benzylpyridinium "thermometer" ions, fragmentation of, ESI-MS, 172
- Beverages, cocaine detection in, using nanoEESI-MS, 290
- Bioimaging, cerebral, in murine Parkinson's disease model, LA-ICP-MS, 161
- Biomolecules
- AC-ESI for MS, 1852
  - analysis by UASI MS, 1547
  - charged, protein interaction with, ESI-MS, 472
  - fluorescence probe of conformations, ITMS, 707

- Biopharmaceuticals, conformation and dynamics using MS, 323
- Biosensors, protein-ligand interaction quantification by SAW-ESI-MS, 1643
- Book reviews
- Differential Ion Mobility Spectrometry: Nonlinear Ion Transport and Fundamentals of FAIMS*, R4 (Apr)
  - Mass Spectrometry Analysis for Protein-Protein Interactions and Dynamics*, R2 (Mar)
  - Mass Spectrometry Instrumentation, Interpretation, and Applications*, R1 (Jan)
  - Mass Spectrometry of Nucleosides and Nucleic Acids*, R1 (Dec)
  - Report of the 2009 ASMS Fall Workshop: Bioinformatics for Protein Identification*, R3 (Apr)
  - Review of the 22nd Sanibel Conference on Mass Spectrometry: From Structural Biology to Drug Discovery: New Roles for Mass Spectrometry of Nucleic Acids*, R1 (Jul)
- Boric acid, quantitative analysis by GC-MS, 482
- Brain
- human, cocaine, MALDI-MS analysis, 564
  - tissue sections, glycosphingolipids, use of gold nanoparticles and, 1940
- Buffer loading, effect for ESI-MS, noncovalent protein complexes, 1045
- c1 ions, formation in CID of peptides, 1814
- Calibration function, space charge effect, Orbitrap FT-MS, 1846
- Calibration standards, sulfur, for LDI-MS, 112
- Calmodulin, macrophage, top-down LC-FTICR-MS, 930
- Calorimetry
- measurement of internal energy deposition in ion activation using nanocalorimetry, 615
  - peptide dissociation energies and entropies, ion nanocalorimetry and CIA, 1133
- Captopril, urine, quantification using SALVI-MS, 864
- Carbamino groups, formation of, proteins and peptides, ESI-MS, 1500
- Carbohydrates
- EDTA in analysis of, ESI-MS, 1526
  - sugar isomers, analysis using the kinetic method, 60
- Carbonyl functionality, hydroxyl functionality and, in proteinated bifunctional analytes prior to FTICR-MS, 773
- Cardiolipins, structural analysis by ESI multiple stage LIT-MS, 1863
- Carrageenans, agarans and, sulfated oligosaccharide isomers, ESI-MS, 1404
- Cations
- $\alpha$ -radical, fragmentation of arginine-containing peptides, CID, 511
  - anions and, in siRNA, IRMPD, 580
  - radical, gas-phase unimolecular chemistry of, cysteine-containing peptides, 1296
- Cavitands, phosphonate, hydrogen bonding in, 440
- CD-ECL. *see* Corona discharge induced electrochemical ionization
- Cesium iodide, cluster ion generation for mass calibration, MALDI-MS, 1223
- Charge ratio, determines fragment efficiency, MS/MS of peptides, 1857
- Charge remote fragmentation, occurrence in EDC and ETD, 646
- Charge separation, in droplet-based ion sources, electrodynamics, 501
- Charge states, peptide hydrogen transfer affected by AA composition and, ECD, 1979
- CID. *see* Collision-induced dissociation
- Cisplatin, N-terminal platination of ubiquitin by, ion mobility MS, 1097
- Cluster ions, CsI, generation for mass calibration, MALDI-MS, 1223
- Cluster secondary ion intensities, relationships between, 370
- Cocaine
- detection in beverages using nanoESI-MS, 290
  - human brain tissue, MALDI-MS analysis, 564
- Collision-assisted dissociation mass spectrometry. *see* Collision-induced dissociation mass spectrometry
- Collision-induced dissociation mass spectrometry
- $\alpha$ - and  $\beta$ -acyl naphthalenes, assignment of constitutional isomers using, 2041
  - alkali metal oxalates, metal ions from, 1944
  - arginine-containing peptides, fragmentation of  $\alpha$ -radical cations, 511
  - axial and high-pressure, using DAPI, ion trap mass spectrometer, 209
  - deproteinated RNA, base loss and internal fragmentation, 278
  - HMGA1a modifications, combined CID- and ETD-MS, 950
  - ion trap, dissociation of locked nucleic acids, 144
  - peptides, c1 ion formation in, 1814
  - polylactide oligomers, 1159
  - prevalent fragmentation pathways, proteins, FT-ICR-MS, 949
  - protein kinase ATP binding sites, top-down MS, 899
  - Rice-Ramsperger-Kassel-Sarcus modeling, in MS/MS, 425
  - RNA sequencing by EDD and, top-down MS, 918
  - UO<sub>4</sub><sup>-</sup> formed during, 1789
- Collision-induced dissociation tandem mass spectrometry
- benzyl-aminated peptides, gas-phase fragmentation characteristics, 1624
  - lithiated olytetrahydrofuran, fragmentation properties, 1753
  - PEGylation sites for peptides and proteins identified using ISF and, 810
  - surface mapping of proteins, 1339
- Copper, binding by peptides, effect of cysteine or arginine on, MALDI-TOF-MS, 522
- Corona discharge induced electrochemical ionization, peptide fragmentation by, 2051
- Cuticle, neutral lipids from, MALDI imaging in insects and plants, 220
- Cyanuric acid, melamine and, gas-phase acid-base properties of, 1720
- $\beta$ -Cyclodextrans, EDTA in ESI MS analysis, 1526
- Cyclometalations, gas phase, [ArNi(PPh<sub>3</sub>)<sub>N</sub>], ESI-MS/MS, 1265
- Cystatins, human salivary, mass tag assignment, top-down FT-ICR-MS, 908
- Cytochrome *c*, ion/ion proton transfer reactions and conformation, 1208
- DAPI. *see* Discontinuous atmospheric pressure interface
- Data analysis
- data format for mass spectrometry, proteomics, 1784
  - data reduction, automated feature identification, IMS, 1969
  - effect-directed analysis of mutagenic compounds, HPLC/APCI-FTICR-MS, 1016
  - effects of data acquisition and, IRPD, 800
  - H/D exchange, automated data reduction, FT-ICR-MS, 550
  - mass measurement terminology and treatment of data, 1821
  - multifactorial analysis, serum protein samples in preeclampsia, affinity-MS data, 1699
- Data-dependent neutral gain MS<sup>3</sup>, N-oxide identification in drug metabolites, 559
- Databases
- effect-directed analysis of mutagenic compounds, HPLC/APCI-FTICR-MS, 1016
  - MAZIE enhances searching of MS/MS spectra, 80
- DBDE. *see* Deca-bromo-diphenyl-ether residues
- DCIM. *see* Drift cell ion mobility mass spectrometry
- Deca-bromo-diphenyl-ether residues, localization by TOF-SIMS, rat ovaries and adrenal glands, 1836
- Deoxyribonucleosides, gas phase acidities of, 136

Download English Version:

<https://daneshyari.com/en/article/1196292>

Download Persian Version:

<https://daneshyari.com/article/1196292>

[Daneshyari.com](https://daneshyari.com)