Accepted Manuscript

The tribological properties of short range ordered W-B-C protective coatings prepared by pulsed magnetron sputtering



S. Debnárová, P. Souček, P. Vašina, L. Zábranský, V. Buršíková, S. Mirzaei, Y.T. Pei

PII:	S0257-8972(18)31123-X
DOI:	doi:10.1016/j.surfcoat.2018.10.026
Reference:	SCT 23889
To appear in:	Surface & Coatings Technology
Received date:	16 August 2018
Revised date:	8 October 2018
Accepted date:	9 October 2018

Please cite this article as: S. Debnárová, P. Souček, P. Vašina, L. Zábranský, V. Buršíková, S. Mirzaei, Y.T. Pei, The tribological properties of short range ordered W-B-C protective coatings prepared by pulsed magnetron sputtering. Sct (2018), doi:10.1016/j.surfcoat.2018.10.026

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

The tribological properties of short range ordered W-B-C

protective coatings prepared by pulsed magnetron sputtering

S. Debnárová ^{1*}, P. Souček ¹, P. Vašina ¹, L. Zábranský ¹, V. Buršíková ¹, S. Mirzaei¹, Y.T. Pei ²

¹ Department of Physical Electronics, Masaryk University, Kotlářská 2, CZ-61137 Brno, Czech

Republic

² Department of Advanced Production Engineering, Engineering and Technology Institute Groningen, Faculty of Science and Engineering, University of Groningen, Nijenborgh 4, 9747AG Groningen, The

Netherlands

* Corresponding author: S. Debnárová, email: <u>debnarova@mail.muni.cz</u>, telephone: +420 549 49

Download English Version:

https://daneshyari.com/en/article/12039132

Download Persian Version:

https://daneshyari.com/article/12039132

Daneshyari.com