Journal Pre-proof

Mental health of gatekeepers may influence their own attitudes toward suicide: a questionnaire survey from a suicide-prevention gatekeeper training program

Haruhiko Midorikawa, Hirokazu Tachikawa, Kiyotaka Nemoto, Nobuaki Morita, Yuki Shiratori, Go Endo, Takaya Taguchi, Tetsuaki Arai

PII: \$1876-2018(18)31181-X

DOI: https://doi.org/10.1016/j.ajp.2019.101842

Reference: AJP 101842

To appear in: Asian Journal of Psychiatry

Received Date: 26 December 2018

Revised Date: 15 October 2019 Accepted Date: 15 October 2019

Please cite this article as: Midorikawa H, Tachikawa H, Nemoto K, Morita N, Shiratori Y, Endo G, Taguchi T, Arai T, Mental health of gatekeepers may influence their own attitudes toward suicide: a questionnaire survey from a suicide-prevention gatekeeper training program, *Asian Journal of Psychiatry* (2019), doi: https://doi.org/10.1016/j.ajp.2019.101842

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2019 Published by Elsevier.



Mental health of gatekeepers may influence their own attitudes toward suicide: a questionnaire survey from a suicide-prevention gatekeeper training program

Haruhiko Midorikawa, MD^{1,2}, Hirokazu Tachikawa, MD, PhD^{3*}, Kiyotaka Nemoto, MD, PhD³, Nobuaki Morita, MD, PhD⁴, Yuki Shiratori, MD, PhD³, Go Endo, MD, PhD⁵, Takaya Taguchi, MD⁶, Tetsuaki Arai, MD, PhD³

- ¹ Majors of Clinical Sciences, Graduate School of Comprehensive Human Sciences, University of Tsukuba, 1-1-1 Tennoudai, Tsukuba, Ibaraki, 305-8575, Japan
- 2 Department of Psychiatry, Kurita Hospital, 505 Toyobami, Naka, Ibaraki, 311-0117, Japan ³Department of Psychiatry, Division of Clinical Medicine, Faculty of Medicine, University of Tsukuba, 1-1-1 Tennoudai, Tsukuba, Ibaraki, 305-8575, Japan
- ⁴Department of Social Psychiatry & Mental Health, Division of Health Innovation and Nursing, Faculty of Medicine, University of Tsukuba, 1-1-1 Tennoudai, Tsukuba, Ibaraki, 305-8575, Japan
- ⁵Department of Psychiatry, Kashima Hospital, 1129-2 Hirai, Kashima, Ibaraki, 314-0012, Japan ⁶Ibaraki Prefectural Medical Center of Psychiatry, 654 Asahi, Kasama, Ibaraki, 309-1717, Japan *Corresponding author: Hirokazu Tachikawa, MD, PhD, Department of Psychiatry, Division of Clinical Medicine, Faculty of Medicine, University of Tsukuba, 1-1-1 Tennodai, Tsukuba, Ibaraki, 305-8575, Japan. Tel: +81-29-853-3343. Email: tachikawa @md.tsukuba.ac.jp

Download English Version:

https://daneshyari.com/en/article/13423534

Download Persian Version:

https://daneshyari.com/article/13423534

<u>Daneshyari.com</u>