

A modified scaling law for stiffness of nanoporous materials based on gyroid cell model

Haomin Liu , Niaz Abdolrahim

PII: S0020-7403(19)32933-9
DOI: <https://doi.org/10.1016/j.ijmecsci.2019.105223>
Reference: MS 105223



To appear in: *International Journal of Mechanical Sciences*

Received date: 7 August 2019
Revised date: 26 September 2019
Accepted date: 6 October 2019

Please cite this article as: Haomin Liu , Niaz Abdolrahim , A modified scaling law for stiffness of nanoporous materials based on gyroid cell model, *International Journal of Mechanical Sciences* (2019), doi: <https://doi.org/10.1016/j.ijmecsci.2019.105223>

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- A continuum model is developed for predicting stiffness of a gyroid unit cell.
- The modified scaling law accounts stretching and bending deformation modes.
- The deformation is a mixture of bending and stretching at low relative density.
- The deformation is stretching-dominant at high relative density.

Journal Pre-proof

Download English Version:

<https://daneshyari.com/en/article/13451173>

Download Persian Version:

<https://daneshyari.com/article/13451173>

[Daneshyari.com](https://daneshyari.com)