



Sialyl $\alpha(2 \rightarrow 3)$ lactose clusters using carbosilane dendrimer core scaffolds as influenza hemagglutinin blockers [☆]

Hiroyuki Oka ^a, Tomotsune Onaga ^a, Tetsuo Koyama ^a, Chao-Tan Guo ^{b,c,d}, Yasuo Suzuki ^{b,c}, Yasuaki Esumi ^e, Ken Hatano ^a, Daiyo Terunuma ^a, Koji Matsuoka ^{a,*}

^a Division of Material Science, Graduate School of Science and Engineering, Saitama University, Sakura, Saitama 338-8570, Japan

^b Department of Biomedical Sciences, College of Life and Health Sciences, Chubu University, Kasugai, Aichi 487-8501, Japan

^c Core Research for Evolutional Science and Technology (CREST), Japan Science and Technology Agency, Kawaguchi, Saitama 332-0012, Japan

^d Zhejiang Academy of Medical Science, 182 Tianmushan Road, Hangzhou 310016, China

^e The Institute of Physical and Chemical Research (RIKEN), Wako, Saitama 351-0198, Japan

ARTICLE INFO

Article history:

Received 7 April 2008

Revised 16 June 2008

Accepted 17 June 2008

Available online 3 July 2008

Keywords:

Sialyl lactose
Hemagglutinin
Sialic acid
Influenza virus
Dendrimers
Carbosilanes
Glycoclusters

ABSTRACT

An efficient synthesis of a series of carbosilane dendrimers uniformly functionalized with sialyl $\alpha(2 \rightarrow 3)$ lactose (Neu5Ac $\alpha(2 \rightarrow 3)$ Gal $\beta(1 \rightarrow 4)$ Glc $\beta(1 \rightarrow 3)$) moieties was accomplished. The results of a preliminary study on biological responses against influenza virus hemagglutinin, using the sialyl lactose clusters showed unique biological activities on the basis of the structure–activity relationship according to the carbosilane scaffolds.

© 2008 Elsevier Ltd. All rights reserved.

Carbosilanes are hybrid materials and show unique characteristics in view of the interdisciplinary region of organic chemistry and inorganic chemistry.¹ We have therefore selected carbosilanes as supporting materials for constructing glycodendrimers including bioactive carbohydrate moieties.² The chemical and biological stabilities of carbosilane dendrimers uniformly functionalized with carbohydrate moieties have been verified using Shiga toxin–carbohydrate interactions,³ Dengue virus–carbohydrate interactions,⁴ and influenza virus neuraminidase–thiosialoside cluster-type inhibitor interactions.⁵

Influenza viruses are unique because each virus has two glycoproteins with different roles on the surfaces of viral particles.⁶ Hemagglutinin (HA) is one of the proteins and it shows lectin-like activity against sialyl oligosaccharides as specific receptors on host cells.⁷ The other protein is a glycosidase, which is referred to as either sialidase or neuraminidase (NA), and it selectively cleaves sialic acid residues from sialoglycoproteins as well as gangliosides on the surfaces of host cells.⁸ Therefore, the virus is significantly attractive and the proteins on the surfaces of influenza viruses

have completely different roles, such as adhesion to the host cell and secession from the host cell.⁶ Many efforts have been made to prepare multivalent-type glycomaterials as HA blockers for inhibiting adhesion of the virus to a host cell.⁹ We have also established a procedure for coupling between the carbosilane dendrimers and sialic acid derivatives including a sugar moiety of GM3 to afford corresponding glycodendrimers as multivalent-type HA blockers. In this paper, we report a synthetic assembly of sialyl $\alpha(2 \rightarrow 3)$ lactosyl (Neu5Ac $\alpha(2 \rightarrow 3)$ Gal $\beta(1 \rightarrow 4)$ Glc $\beta(1 \rightarrow 3)$) moieties using a series of carbosilane dendrimer scaffolds and the results of biological evaluations of the glycodendrimers as potential candidates for influenza virus hemagglutinin blockers.

Our synthetic target compounds having unique shapes, generations, and different numbers of saccharide residues are shown in Figure 1. A compound **2** having zero generation and three sugar moieties and **4** having first generation and six sugar moieties were prepared by the method previously reported.¹⁰ A monomeric compound **1**[†] having a 4-pentenyl moiety as the aglycon was quantitatively prepared from a known compound **8** by a combination of transesterification and saponification to remove all protections

[☆] Glyco-Silicon Functional Materials. Part 10. For Part 9, see Ref. 5.

* Corresponding author. Tel./fax: +81 48 858 3099.

E-mail address: koji@fms.saitama-u.ac.jp (K. Matsuoka).

[†] All new compounds with specific rotation data gave satisfactory results of elemental analyses or high-resolution mass spectra.

Download English Version:

<https://daneshyari.com/en/article/1376409>

Download Persian Version:

<https://daneshyari.com/article/1376409>

[Daneshyari.com](https://daneshyari.com)