

LIST OF CONTENTS

NUMBER 1

| | | |
|--|----|--|
| H. Jin | 1 | Editorial |
| I.S. Ertesvåg, H.M. Kvamsdal and O. Bolland | 5 | Exergy analysis of a gas-turbine combined-cycle power plant with precombustion CO ₂ capture |
| F.W.H Yik and K.S.Y Wan | 41 | An evaluation of the appropriateness of using overall thermal transfer value (OTTV) to regulate envelope energy performance of air-conditioned buildings |
| C. Wang, J. Chen and J. Zou | 73 | Decomposition of energy-related CO ₂ emission in China: 1957–2000 |
| S.P. Wang, Q.L. Chen, Q.H. Yin and B. Hua | 85 | A phenomenological equation of exergy transfer and its application |
| | 97 | Book review |

NUMBERS 2–4

| | | |
|---|-----|--|
| K. Kitagawa, T. Furuhata and N. Lior | 101 | Editorial Introduction |
| S. Beaver, J. Matamoros, A. Prokopec, W.B. Retallick and S.W. Churchill | 103 | An analysis of the effects of heat exchange and heat refluxing in the generation of electricity with a gas turbine |
| H. Taniguchi, K. Mouri, T. Nakahara and N. Arai | 111 | Exergy analysis on combustion and energy conversion processes |
| K. Abdullah | 119 | Renewable energy conversion and utilization in ASEAN countries |
| N. Maeda, M. Hirota and H. Fujita | 129 | Turbulent flow in a rectangular duct with a smooth-to-rough step change in surface roughness |
| M. Okamoto and N. Shima | 149 | Numerical prediction of periodic transpired channel flow with low-Reynolds-number turbulence models |
| M. Kaneko, I. Men'shov and Y. Nakamura | 165 | Numerical simulation of nonequilibrium flow in high-enthalpy shock tunnel |
| Y. Hagiwara, T. Suzuki and D. Saegusa | 181 | Interaction between near-wall turbulence structure and immiscible droplets falling with wobbling motion in upward water flow |
| S. Yamamoto | 197 | Computation of practical flow problems with release of latent heat |
| Y. Takata, S. Hidaka, J.M. Cao, T. Nakamura, H. Yamamoto, M. Masuda and T. Ito | 209 | Effect of surface wettability on boiling and evaporation |

| | | |
|---|-----|--|
| Y. Hamada, W. Otsu, J. Fukai, Y. Morozumi and O. Miyatake | 221 | Anisotropic heat transfer in composites based on high-thermal conductive carbon fibers |
| S. Tsushima, K. Teranishi and S. Hirai | 235 | Water diffusion measurement in fuel-cell SPE membrane by NMR |
| K. Takeshita, Y. Amano and T. Hashizume | 247 | Experimental study of advanced cogeneration system with ammonia-water mixture cycles at bottoming |
| Q. Cui, G. Tao, H. Chen, X. Guo and H. Yao | 261 | Environmentally benign working pairs for adsorption refrigeration |
| Q. Cui, H. Chen, G. Tao and H. Yao | 273 | Performance study of new adsorbent for solid desiccant cooling |
| H. Hiraoka | 281 | An investigation of the effect of environmental factors on the budgets of heat, water vapor, and carbon dioxide within a tree |
| F. Akimoto, A. Matsunami, Y. Kamata, I. Kodama, K. Kitagawa, N. Arai, T. Higuchi, A. Itoh and H. Haraguchi | 299 | Cross-correlation analysis of atmospheric trace concentrations of N_2O , CH_4 and CO_2 determined by continuous gas-chromatographic monitoring |
| D.S.-K. Ting and G.T. Reader | 313 | Hydrogen peroxide for improving premixed methane-air combustion |
| Y. Ishino, S. Yamaguchi and N. Ohiwa | 323 | An experimental study on vortex-flame interaction of a spark-ignited flame with coherent structure in a plane premixed shear flow |
| M. Shoji, T. Yamamoto, S. Tanno, H. Aoki and T. Miura | 337 | Modeling study of homogeneous NO and N_2O formation from oxidation of HCN in a flow reactor |
| K. Hanamura, T. Kumano and Y. Iida | 347 | Electric power generation by super-adiabatic combustion in thermoelectric porous element |
| S. Maruyama, T. Aoki, K. Igarashi and S. Sakai | 359 | Development of a high efficiency radiation converter using a spiral heat exchanger |
| S. Lille, W. Blasiak and M. Jewartowski | 373 | Experimental study of the fuel jet combustion in high temperature and low oxygen content exhaust gases |
| W. Yang and W. Blasiak | 385 | Numerical study of fuel temperature influence on single gas jet combustion in highly preheated and oxygen deficient air |
| S. Sugiyama, N. Suzuki, Y. Kato, K. Yoshikawa, A. Omino, T. Ishii, K. Yoshikawa and T. Kiga | 399 | Gasification performance of coals using high temperature air |
| G. Anastopoulos, E. Lois, D. Karonis, S. Kalligeratos and F. Zannikos | 415 | Impact of oxygen and nitrogen compounds on the lubrication properties of low sulfur diesel fuels |
| S.L. Yang, Y.K. Siow, C.Y. Teo and K. Hanjalic | 427 | A KIVA code with Reynolds-stress model for engine flow simulation |
| K. Iwazaki, K. Amagai and M. Arai | 447 | Improvement of fuel economy of an indirect injection (IDI) diesel engine with two-stage injection |

Download English Version:

<https://daneshyari.com/en/article/1736026>

Download Persian Version:

<https://daneshyari.com/article/1736026>

[Daneshyari.com](https://daneshyari.com)