

## Keyword index

### A

- $\alpha$ -Helical structure** – Characterization and expression of a cDNA encoding a tubulin-like protein of the golden web spider *Nephila antipodiana*, 849
- $\alpha$ -T** – The structure and phase behaviour of  $\alpha$ -tocopherol-rich domains in 1-palmitoyl-2-oleoyl-phosphatidylethanolamine, 1883
- $\alpha$ -Tocopherol** – The structure and phase behaviour of  $\alpha$ -tocopherol-rich domains in 1-palmitoyl-2-oleoyl-phosphatidylethanolamine, 1883
- A-site** – Biochemical characterization of the ribosomal decoding site, 935 – The ribosomal A-site as an inspiration for the design of RNA binders, 1045
- A, GalNAc $\alpha$ 1-3Gal, human blood group A specific disaccharide** – Carbohydrate recognition factors of the lectin domains present in the *Ricinus communis* toxic protein (ricin), 201
- A-site–E-site interplay** – Decoding errors and the involvement of the E-site, 1013
- AAS,  $\alpha$ -amino adipic- $\delta$ -semialdehyde** – An unexpected formation of the spectroscopic Cu<sup>I</sup>-semiquinone radical by xenon-induced self-catalysis of a copper quinoprotein, 827
- AASF,  $\alpha$ -amino adipic- $\delta$ -semialdehyde-derivatized fluoresceinamine** – An unexpected formation of the spectroscopic Cu<sup>I</sup>-semiquinone radical by xenon-induced self-catalysis of a copper quinoprotein, 827
- ABC transporters** – Role of the yeast ABC transporter Yor1p in cadmium detoxification, 1665
- Aberrant splicing** – Activation of a cryptic splice site in the *tax* gene of HTLV-I by a single nucleotide change, 147
- Abiotic-stress** – Mapping the DNA- and zinc-binding domains of ASR1 (abscisic acid stress ripening), an abiotic-stress regulated plant specific protein, 621
- Accuracy** – The ribosome's response to codon–anticodon mismatches, 1001
- Accuracy of protein synthesis** – Decoding errors and the involvement of the E-site, 1013
- Accuracy of translation** – Rate, accuracy and cost of ribosomes in bacterial cells, 951
- ACE** – Procyanidin structure defines the extent and specificity of angiotensin I converting enzyme inhibition, 359
- ACE inhibition** – Cloning and characterization of natriuretic peptides from the venom glands of Australian elapids, 1923
- Acidic DNases** – Acid DNases and their interest among apoptotic endonucleases, 1851
- Actin** – Spinophilin: from partners to functions, 1099
- Actinide** – Structural insights into protein–ranyl interaction: towards an in silico detection method, 1631
- Actinide biochemistry** – Actinide speciation in relation to biological processes, 1605
- Actinide chemistry** – Actinide speciation in relation to biological processes, 1605
- Active transport** – CadA, the Cd<sup>2+</sup>-ATPase from *Listeria monocytogenes*, can use Cd<sup>2+</sup> as co-substrate, 1687
- Adenylation domain** – Relationship between activating and editing functions of the adenylation domain of apo-tyrocidin synthetase 1 (apo-TY1), 265
- Adhesion** – Does glycosylation of melanoma cells influence their interactions with fibronectin? 527
- Adipocytes** – Effects of oxidative modifications induced by the glycation of bovine serum albumin on its structure and on cultured adipose cells, 1467
- Adipogenesis** – Liver X receptor preferentially activates de novo lipogenesis in human preadipocytes, 309
- AGC kinase** – Arabidopsis PDK1: identification of sites important for activity and downstream phosphorylation of S6 kinase, 11
- Aggregation** – Lysozyme refolding with cyclodextrins: structure–activity relationship, 1435
- Aging** – Plasmalogen metabolism-related enzymes in rat brain during aging: influence of n-3 fatty acid intake, 103
- A<sub>1</sub>, GalNAc $\alpha$ 1-3(L-Fuc $\alpha$ 1-2)Gal, human blood group A specific trisaccharide containing crypto H determinant** – Carbohydrate recognition factors of the lectin domains present in the *Ricinus communis* toxic protein (ricin), 201
- AIF** – Cadmium-induced apoptosis in lymphoblastoid cell line: involvement of cas-pase-dependent and -independent pathways, 1815
- Albumin** – Effects of oxidative modifications induced by the glycation of bovine serum albumin on its structure and on cultured adipose cells, 1467
- Alginate biosynthesis** – Biochemical analysis of alginate biosynthesis protein AlgX from *Pseudomonas aeruginosa*: purification of an AlgX–MucD (AlgY) protein complex, 245
- AlgX** – Biochemical analysis of alginate biosynthesis protein AlgX from *Pseudomonas aeruginosa*: purification of an AlgX–MucD (AlgY) protein complex, 245
- All-trans retinoic acid** – The aryl hydrocarbon receptor activates the retinoic acid receptor  $\alpha$  through SMRT antagonism, 387
- Allergen** – Resolution of the structure of the allergenic and antifungal banana fruit thaumatin-like protein at 1.7-Å, 45
- Alpha-fetoprotein** – Regulation of the alpha-fetoprotein promoter: Ku binding and DNA spatial conformation, 1409
- Alternative splicing** – Mammalian CELF/Bruno-like RNA-binding proteins: molecular characteristics and biological functions, 515
- Alzheimer's disease** – Implication of apoE isoforms in cholesterol metabolism by primary rat hippocampal neurons and astrocytes, 473
- Amber** – Structural insights into protein–uranyl interaction: towards an in silico detection method, 1631
- Amine oxidase** – An unexpected formation of the spectroscopic Cu<sup>I</sup>-semiquinone radical by xenon-induced self-catalysis of a copper quinoprotein, 827
- Amino acid control of rRNA synthesis** – Feedback control of ribosome synthesis in *Escherichia coli* is dependent on eight critical amino acids, 1145
- Amino acid sequence** – Purification, sequencing and structural analysis of two acidic phospholipases A<sub>2</sub> from the venom of *Bothrops insularis* (jararaca ilhoa), 1947
- Amino acid transport** – Impact of forskolin and amino acid depletion upon System A activity and SNAT expression in BeWo cells, 39
- Amino-acid sensitivity** – The 3'-UTR of the glutamine-synthetase gene interacts specifically with upstream regulatory elements, contains mRNA-instability elements and is involved in glutamine sensing, 1255
- Aminoacyl adenylate stability** – Relationship between activating and editing functions of the adenylation domain of apotyrocidin synthetase 1 (apo-TY1), 265
- Aminoglycoside** – The A-minor motifs in the decoding recognition process, 993 – A-site model RNAs, 1021 – Crystal structure of the bacterial ribosomal decoding site complexed with amikacin containing the  $\gamma$ -amino- $\alpha$ -hydroxybutyryl (haba) group, 1027 – A genetic model to investigate drug-target interactions at the ribosomal decoding site, 1033 – The ribosomal A-site as an inspiration for the design of RNA binders, 1045 – A molecular dynamics simulation study of an aminoglycoside/A site RNA complex: conformational and hydration patterns, 1061
- Anaerobe** – Response of the anaerobe *Desulfovibrio vulgaris* Hildenborough to oxidative conditions: proteome and transcript analysis, 85

- Analytical ultracentrifugation** – Characterization of the non-native trifluoroethanol-induced intermediate conformational state of the Shiga toxin B-subunit, 1199
- Angiogenesis** – Multiple activation of mitogen-activated protein kinases by purified independent CCN2 modules in vascular endothelial cells and chondrocytes in culture, 1973
- ANS, 1-anilinoanthracene 8-sulfonate** – An unexpected formation of the spectroscopic Cu<sup>I</sup>-semiquinone radical by xenon-induced self-catalysis of a copper quinoprotein, 827
- Anti-aggregran autoantibodies** – Autoantibodies against aggregran in systemic rheumatic diseases, 767
- Antiangiogenesis** – Antiangiogenic and proapoptotic activity of a novel glycoprotein from *U. indica* is mediated by NF-κB and Caspase activated DNase in ascites tumor model, 297
- Antibiotic** – The ribosome's response to codon-anticodon mismatches, 1001 – The ribosomal A-site as an inspiration for the design of RNA binders, 1045 – A molecular dynamics simulation study of an aminoglycoside/A-site RNA complex: conformational and hydration patterns, 1061
- Anticoagulant activity** – Insights into metal ion binding in phospholipases A<sub>2</sub>: ultra high-resolution crystal structures of an acidic phospholipase A<sub>2</sub> in the Ca<sup>2+</sup> free and bound states, 543
- Anticoagulant site** – The C-terminal and β-wing regions of ammodytoxin A, a neurotoxic phospholipase A<sub>2</sub> from *Vipera ammodytes ammodytes*, are critical for binding to factor Xa and for anticoagulant effect, 69
- Antifungal protein** – Resolution of the structure of the allergenic and antifungal banana fruit thaumatin-like protein at 1.7-Å, 45
- Antimicrobial peptide** – Purification and partial characterisation of recombinant human hepcidin, 31
- Anti-oncogen** – Lymphocytes from patients with early stage of B-cell chronic lymphocytic leukaemia and long survival synthesize decorin, 1933
- Antioxidant** – Tannic acid inhibits in vitro iron-dependent free radical formation, 1287
- Antioxidant enzymes** – Antioxidant enzyme inhibitors enhance nitric oxide-induced cell death in U937 cells, 869
- Antitumor** – Copper(II) and manganese(III) complexes of N'-(2-hydroxy phenyl) carbonothioyl] pyridine-2-carbohydrazide: novel therapeutic agents for cancer, 1209
- Apical membrane antigen 1** – Synthetic peptides from *Plasmodium falciparum* apical membrane antigen 1 (AMA-1) specifically interacting with human hepatocytes, 1447
- APMSF** – Molecular characterization of laforin, a dual-specificity protein phosphatase implicated in Lafora disease, 1961
- Apolipoprotein E** – Implication of apoE isoforms in cholesterol metabolism by primary rat hippocampal neurons and astrocytes, 473
- Apoptosis** – Antiangiogenic and proapoptotic activity of a novel glycoprotein from *U. indica* is mediated by NF-κB and Caspase activated DNase in ascites tumor model, 297 – Antioxidant enzyme inhibitors enhance nitric oxide-induced cell death in U937 cells, 869 – Copper(II) and manganese(III) complexes of N'-(2-hydroxy phenyl) carbonothioyl] pyridine-2-carbohydrazide: novel therapeutic agents for cancer, 1209 – The rational designed antagonist derived from the complex structure of interleukin-6 and its receptor affectively blocking in interleukin-6 might be a promising treatment in multiple myeloma, 1265 – Cadmium-induced apoptosis in lymphoblastoid cell line: involvement of caspase-dependent and-independent pathways, 1815 – Acid DNases and their interest among apoptotic endonucleases, 1851
- Arabidopsis** – Genome-wide transcriptome profiling of the early cadmium response of *Arabidopsis* roots and shoots, 1751 – Phosphate deficiency promotes modification of iron distribution in *Arabidopsis* plants, 1767
- Arabidopsis thaliana** – Arabidopsis PDK1: identification of sites important for activity and downstream phosphorylation of S6 kinase, 11 – Metabolomic, proteomic and biophysical analyses of *Arabidopsis thaliana* cells exposed to a caesium stress. Influence of potassium supply, 1533 – Micro-chemical imaging of cesium distribution in *Arabidopsis thaliana* plant and its interaction with potassium and essential trace elements, 1583
- Archaea** – Structural basis of the destabilization produced by an amino-terminal tag in the β-glycosidase from the hyperthermophilic archeon *Sulfolobus solfataricus*, 807
- Argininosuccinate synthetase** – Biphasic effect of IL-1β on the activity of argininosuccinate synthetase in Caco-2 cells. Involvement of nitric oxide production, 607
- Arsenic** – Chloroplast targeting of phytochelatin synthase in *Arabidopsis*: effects on heavy metal tolerance and accumulation, 1743
- Arsenic stress** – Identification of genes and proteins involved in the pleiotropic response to arsenic stress in *Caenibacter arsenoxydans*, a metalloresistant beta-proteobacterium with an unsequenced genome, 595
- Aryl hydrocarbon receptor** – The aryl hydrocarbon receptor activates the retinoic acid receptor α through SMRT antagonism, 387
- Ascorbate** – Tannic acid inhibits in vitro iron-dependent free radical formation, 1287
- Asterias** – Analysis of monosaccharides, fatty constituents and rare O-acetylated sialic acids from gonads of the starfish *Asterias rubens*, 171
- Atherosclerosis** – Products of the reaction of HOCl with tryptophan protect LDL from atherogenic modification, 785
- ATS6k2** – Arabidopsis PDK1: identification of sites important for activity and downstream phosphorylation of S6 kinase, 11
- AU-rich elements** – The 3'-UTR of the glutamine-synthetase gene interacts specifically with upstream regulatory elements, contains mRNA-instability elements and is involved in glutamine sensing, 1255
- Australian snakes** – Cloning and characterization of natriuretic peptides from the venom glands of Australian elapids, 1923
- Autophosphorylation** – Arabidopsis PDK1: identification of sites important for activity and downstream phosphorylation of S6 kinase, 11
- Autoregulation** – Autoregulation of Oct-1 gene expression is mediated by two octa-sites in alternative promoter, 1323
- Azoarcus** – Calcium(II)-dependent catalytic activity of the *Azoarcus* ribozyme: testing the limits of resolution for in vitro selection, 819

## B

**ββαββ domain** – Polynucleotide phosphorylase interacts with ribonuclease E through a ββαββ domain, 725

**11βHSD1** – CCAAT/enhancer-binding proteins (C/EBPs) regulate the basal and cAMP-induced transcription of the human 11β-hydroxysteroid dehydrogenase encoding gene in adipose cells, 1115

**β-Sheet-like** – Probing the folding capacity and residual structures in 1–79 residues fragment of staphylococcal nuclease by biophysical and NMR methods, 1343

**B-cell-activating factor of the TNF family (BAFF)** – Construction and characterization of a bi-functional EGFP/sB AFF fusion protein, 629

**B, Galα1-3Gal, human blood group B specific disaccharide** – Carbohydrate recognition factors of the lectin domains present in the *Ricinus communis* toxic protein (ricin), 201

**Bacteria** – The ribosome's response to codon-anticodon mismatches, 1001 – Distribution and genetic diversity of bacterial thiopurine methyltransferases in soils emitting dimethyl selenide, 1573

**Bacterial expression** – Construction and characterization of a bi-functional EGFP/sBAFF fusion protein, 629

**Bacterial lectin** – Interactions of the fucose-specific *Pseudomonas aeruginosa* lectin, PA-IIL, with mammalian glycoconjugates bearing polyvalent Lewis<sup>x</sup> and ABH blood group glycotopes, 1479

**Bacterial lipase classification** – Esterase EstA6 from *Pseudomonas* sp. CR-611 is a novel member in the utmost conserved cluster of family VI bacterial lipolytic enzymes, 859

**Banana** – Resolution of the structure of the allergenic and antifungal banana fruit thaumatin-like protein at 1.7-Å, 45

**Base flip** – Energy landscape of the ribosomal decoding center, 1053

**BeWo cells** – Impact of forskolin and amino acid depletion upon System A activity and SNAT expression in BeWo cells, 39

**Bicistronic vectors** – The use of IRES-based bicistronic vectors allows the stable expression of recombinant G-protein coupled receptors such as NPY5 and histamine 4, 737

**Biglycan** – Lymphocytes from patients with early stage of B-cell chronic lymphocytic leukaemia and long survival synthesize decorin, 1933

Download English Version:

<https://daneshyari.com/en/article/1953279>

Download Persian Version:

<https://daneshyari.com/article/1953279>

[Daneshyari.com](https://daneshyari.com)