Contemporary Clinical Trials Communications 1 (2015) 17-21

Contents lists available at ScienceDirect

ELSEVIER

Contemporary Clinical Trials Communications

journal homepage: www.elsevier.com/locate/conctc



Real-time enrollment dashboard for multisite clinical trials

CrossMark

William A. Mattingly ^{a, *}, Robert R. Kelley ^a, Timothy L. Wiemken ^a, Julia H. Chariker ^b, Paula Peyrani ^a, Brian E. Guinn ^a, Laura E. Binford ^a, Kimberley Buckner ^a, Julio Ramirez ^a

^a Division of Infectious Diseases, Department of Medicine, University of Louisville, Louisville, KY, USA ^b Department of Psychological and Brain Sciences, University of Louisville, Louisville, KY, USA

ARTICLE INFO

Article history: Received 30 July 2015 Received in revised form 3 September 2015 Accepted 22 September 2015 Available online 25 October 2015

Keywords: Clinical trials Visualization Data quality

ABSTRACT

Objective: Achieving patient recruitment goals is critical for the successful completion of a clinical trial. We designed and developed a web-based dashboard for assisting in the management of clinical trial screening and enrollment.

Materials and methods: We use the dashboard to assist in the management of two observational studies of community-acquired pneumonia. Clinical research associates and managers using the dashboard were surveyed to determine its effectiveness as compared with traditional direct communication.

Results: The dashboard has been in use since it was first introduced in May of 2014. Of the 23 staff responding to the survey, 77% felt that it was easier or much easier to use the dashboard for communication than to use direct communication.

Conclusion: We have designed and implemented a visualization dashboard for managing multi-site clinical trial enrollment in two community acquired pneumonia studies. Information dashboards are useful for clinical trial management. They can be used in a standalone trial or can be included into a larger management system.

© 2015 The Authors. Published by Elsevier Inc. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

1. Background and significance

Clinical trials are necessary to test and validate new therapies and to advance the quality of care in healthcare. Consequently, the number of trials being conducted globally is increasing each year. A significant barrier to the successful completion of a clinical trial is failure to recruit the appropriate number of subjects. Common contributing factors to low trial participant accrual are short enrollment periods, insufficient numbers of staff available for recruiting patients, and disparate clinical research sites which are difficult to manage as a single unit; any of these problems can lead to a trial being terminated without gaining the knowledge for which it was designed [1].

Numerous approaches to improve patient recruitment have been proposed in the literature and in practice. Integrating trial recruitment more closely with patient care could reduce recruitment overhead [2–4]. Better access to data from previous trials

* Corresponding author. William A Mattingly, PhD, Division of Infectious Diseases, Department of Medicine, University of Louisville, 501 East Broadway, Suite 140B, Louisville, Kentucky 40202, USA.

E-mail address: wamatt02@louisville.edu (W.A. Mattingly).

could aid in planning successful future trials [5]. Many systems to streamline access to medical records for the purpose of recruitment have been proposed and implemented [6–8]. Efficient and accurate screening is also critical for the success of a clinical trial [9–11]. Systems for automated trial recruitment have been implemented along with systems specifically addressing time-sensitive recruitment [12,13]. Clinical Trial Recruitment Support Systems have been designed to integrate clinical workflow with the entire clinical trial and regulatory process [14–16].

Recently, approaches to conducting multisite clinical trials have become an active area of research because workflows and methodologies for single site trials often do not scale, and systems for managing regional site networks allow for a broader patient pool to be used for recruitment [17,18]. In addition, mobile and web-based technologies have become important in facilitating these efforts [19].

A tool for stakeholders to follow the progress of a trial could improve communication across multiple clinical trial sites encompassing multiple trial staff. A visual information dashboard coupled with the trial management system can provide this ability. An information dashboard is a visual representation of a body of information displayed on a computer screen. It is meant to show only the information most critical to a user's tasks and to provide

http://dx.doi.org/10.1016/j.conctc.2015.09.001

2451-8654/© 2015 The Authors. Published by Elsevier Inc. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

timely updates to the information [20]. Some software products like Tableau can be used to help visualize clinically relevant data [21,22]. Clinical scorecards, which arrange common qualitative clinical information in an easy to understand list format, are similar to dashboards and are used to provide clinical decision support [23].

Patient enrollment is critical to the success of a clinical trial, and an information dashboard can provide real-time data regarding enrollment to assist trial investigators, sponsors, and research staff in making timely decisions about recruiting policies and organizational decisions.

2. Objective

We developed a web-based clinical enrollment dashboard to provide clinical trial personnel with current information regarding enrollment progress for clinical trials. We identified three objectives for our system. The system must:

- 1. Compactly show current enrollment statistics for the study.
- 2. Allow clinical trial personnel to update and view enrollment numbers remotely
- 3. Display data in a way that allows easy comparison of enrollment across different sites

3. Materials and methods

An informational dashboard was designed to support two IRB approved observational studies of community-acquired pneumonia (CAP) managed by the University of Louisville Division of Infectious Diseases. Enrollment sites for both studies include all nine adult hospitals in Jefferson County, Kentucky. Clinical research coordinators working on the study screen, consent, and enroll patients seven days a week. The screening process began with coordinators accessing daily hospital admission records. Patients who meet study criteria were approached, consented, and enrolled into the study. Each hospital provided a partial privacy waiver for accessing medical records for the purpose of determining signs and symptoms consistent with CAP.

3.1. Needs assessment

Prior to developing the enrollment dashboard, our team conducted a needs assessment to determine the relevant information to display to stakeholders of the trial. The following items were selected for inclusion in the dashboard:

- 1. The number of patients enrolled per hospital per day. This serves as the primary means of quantifying the progress of enrollment.
- 2. The number of patients eligible to be enrolled per hospital per day. This number serves as the upper limit for possible enrollment.
- 3. The number of patients admitted to each hospital each day. This places the number of eligible patients within the context of a hospital's total admissions.
- 4. The number of patients screened per hospital per day. This highlights the efficiency of the screening process.
- 5. Name of person providing enrollment numbers at a given site. This provides a point of contact for enrollment numbers that may not match case report forms.

Requirements for the implementation of the system were also identified as follows:

- 1. Flexible software design to support changing project requirements.
- 2. Real-time capability.
- 3. Easy to develop and maintain.

In our view a web-based solution best satisfied these requirements; the following components were outlined for implementation of the system: a web server with a database to store enrollment numbers, an interface to allow enrollers to enter enrollment numbers remotely via smartphone or laptop, and a role-specific web page to display enrollment data as an information dashboard. To keep the system simple it only stores enrollment numbers, not any data associated with patients. This reduces the complexity, security, and privacy requirements of the software. Fig. 1 shows an example of the enrollment process using the software.

3.2. Data storage

The backend of the enrollment dashboard uses the Linux-Apache-MySQL-PHP (LAMP) application stack. That is, a Linuxbased operating system running an apache web server and MySQL database. A web browser is used to interact with the data using the PHP server-side scripting language. This is a popular backend setup, and there is a large selection of information on how to set up this stack quickly and easily [24]. We chose a cloudbased implementation of this stack as it provides the benefits of automatic scaling to handle traffic, and removes the space and maintenance overhead of using local equipment. Many cloud providers such as Amazon Web Services and Linode offer reasonably priced virtual servers with a LAMP stack configured and ready to deploy.

3.3. Mobile data entry

Each of the trial personnel possesses a smartphone capable of accessing the Internet through a cellular data plan or locally accessible WiFi. Consequently, we implemented a web-based method for staff using their personal computer or smartphone to enter data. We designed a user interface with the Bootstrap framework that allows a web page design to be optimized for display on either desktop browsers or smartphones. Fig. 2 shows an enrollment entry screen on a mobile device. OAuth, a protocol that allows users to access secure online content using third party login information from Google or Twitter accounts, provides authentication for the app. This allows coordinators to login using their Google account name. The data entry app verifies that the name and Google ID of the person logging in is a coordinator with access rights to the system. This type of authentication is especially useful on mobile devices where typing credentials can be challenging. Each coordinator was initially given a 1-h training session on how to enter enrollment data using the app. Additional questions were addressed at weekly meetings as the app began to be used in the field.

3.4. Enrollment dashboard screen

The information dashboard was designed to provide a visualization of enrollment data on a screen accessible to various clinical research personnel. The dashboard was implemented as a web app accessing a secure remote database and graphics were created using the d3 JavaScript library [25]. The primary graphics displayed by the dashboard are nested bar charts for each hospital showing total enrollment per hospital, shown in Fig. 3. Nested bar charts represent a group of bar charts that are overlaid to save space. This Download English Version:

https://daneshyari.com/en/article/2498709

Download Persian Version:

https://daneshyari.com/article/2498709

Daneshyari.com