

Accepted Manuscript

Title: A Decrease in the Volume of Gray Matter as a Risk Factor for Postoperative Delirium Revealed by an Atlas-Based Method

Author: Akiko Shioiri, Akeo Kurumaji, Takashi Takeuchi, Kiyotaka Nemoto, Hirokuni Arai, Toru Nishikawa

PII: S1064-7481(15)00248-1
DOI: <http://dx.doi.org/doi:10.1016/j.jagp.2015.09.002>
Reference: AMGP 529

To appear in: *The American Journal of Geriatric Psychiatry*

Received date: 7-5-2015
Revised date: 25-8-2015
Accepted date: 9-9-2015



Please cite this article as: Akiko Shioiri, Akeo Kurumaji, Takashi Takeuchi, Kiyotaka Nemoto, Hirokuni Arai, Toru Nishikawa, A Decrease in the Volume of Gray Matter as a Risk Factor for Postoperative Delirium Revealed by an Atlas-Based Method, *The American Journal of Geriatric Psychiatry* (2015), <http://dx.doi.org/doi:10.1016/j.jagp.2015.09.002>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Types of Articles: Regular Research Articles.

Word count: 2762.

Key words; delirium, brain MRI, predisposing factors, atlas-based, ROC curve.

A Decrease in the Volume of Gray Matter as a Risk Factor for Postoperative Delirium Revealed by an Atlas-based Method

Akiko Shioiri, M.D. (1), Akeo Kurumaji, M.D.&Ph.D *(1),
Takashi Takeuchi, M.D.&Ph.D (1), Kiyotaka Nemoto, M.D.&Ph.D (2),
Hirokuni Arai, M.D.&Ph.D (3), and Toru Nishikawa, M.D.&Ph.D (1)

(1) Section of Psychiatry and Behavioral Sciences, Tokyo Medical and Dental University Graduate School, Tokyo, Japan.

(2) Department of Neuropsychiatry, Institute of Clinical Medicine, University of Tsukuba, Ibaraki, Japan.

(3) Department of Cardiothoracic Surgery, Tokyo Medical and Dental University Graduate School of Medicine, Tokyo, Japan.

*corresponding author;

Akeo Kurumaji, MD.& Ph.D.

Section of Psychiatry and Behavioral Sciences, Tokyo Medical and Dental University Graduate School, 1-5-45 Yushima, Bunkyo-ku, Tokyo 113-8519, Japan. E-mail: 0724.psyc@tmd.ac.jp, TEL: 03-5803-5242, FAX: 03-5803-0315

Conflicts of interest: none.

All sources of support: This study was partly supported by research grants from the Ministry of Health, Labor and Welfare (Japan), and a Grant-in-Aid for Scientific Research from the Ministry of Education, Science, Culture and Sports (Japan).

Download English Version:

<https://daneshyari.com/en/article/3032141>

Download Persian Version:

<https://daneshyari.com/article/3032141>

[Daneshyari.com](https://daneshyari.com)