

CONTINUING EDUCATION PROGRAM

The Journal of the American Dental Association

February 2014

Also available online at www.ada.org/1314.aspx

Open to all licensed U.S. dentists, JADA's monthly Continuing Education Program now offers Journal readers a chance to earn up to four (4) CE credits each month—double the previous total. Four articles in each issue of JADA are designated as CE vehicles, identified with our CE logo. Read one or more of the articles and answer the related questions in this section. If you correctly answer three of the four questions per article, you now earn one (1) hour of CE credit per article—or a total of four (4) credit hours for all four articles. This is effective as of March 2013 for all active CE tests (in other words, the current month and the previous 11 months).



Your entry is graded by the faculty at the University of Colorado School of Dental Medicine a provider of CE credit recognized by the ADA's Continuing Education Recognition Program and the Academy of General Dentistry.

Record your answers on the form provided at the end of this section, clip the completed form and attach your address label from this issue of JADA. Mail the form and the appropriate fee to the UC School of Dental Medicine. You will be notified by mail of your score and the credits awarded—information that you must forward to your state dental board.

You also can participate in JADA's CE program online. Visit www.ada.org/1314.aspx.

For ADA-member dentists, the monthly participation fee is \$15; the nonmember fee is \$20. You may pay by check drawn on a U.S. bank, money order or credit card. The fee is the same whether you answer questions for one article or for all four.

Credit for the CE program expires one year from the date of publication (both print and online). Duplicate submissions will be disregarded, whether electronic or paper.

Credits issued for participation in the CE activity may not apply toward license renewal in all licensing jurisdictions. It is the responsibility of each participant to verify the CE requirements of his or her licensing or regulatory agency. This is effective as of March 2013 for all active CE tests (in other words, the current month and the previous 11 months).

Any questions? Call 1-800-736-1911.

CE ARTICLE 1—PAGES 131-140

DESIGNING A SAFETY CHECKLIST FOR DENTAL IMPLANT PLACEMENT: A DELPHI STUDY

1. According to one study, what percentage of implants was associated with at least one complication within five years of placement?
 - A. 39 percent
 - B. 27 percent
 - C. 18 percent
 - D. 11 percent

2. In a study of implant success and clinical experience, what threshold of surgeon experience was associated with doubling the rate of implant failure?
 - A. fewer than 1,000 implants
 - B. fewer than 500 implants
 - C. fewer than 100 implants
 - D. fewer than 50 implants

3. **What percentage of panelists in the authors' study agreed that it is important to adhere to manufacturers' recommendations regarding drill speeds and torque values?**
 - A. 95 percent
 - B. 90 percent
 - C. 80 percent
 - D. 70 percent
4. **What percentage of panelists agreed that verifying implant angulation and positioning with the help of a qualified assistant is important?**
 - A. 95 percent
 - B. 90 percent
 - C. 80 percent
 - D. 70 percent

CE ARTICLE 2—PAGES 141-149

PARENTS' UNDERSTANDING OF AND ACCURACY IN USING MEASURING DEVICES TO ADMINISTER LIQUID ORAL PAIN MEDICATION

1. **What percentage of parents in the study reported that they use their children's weight in choosing a dosage for over-the-counter medications?**
 - A. 49.3 percent
 - B. 31.1 percent
 - C. 24.6 percent
 - D. 19.7 percent
2. **Which one of the following did the largest percentage of the study's parents report using to measure medication for their children?**
 - A. medication cup with either clear or printed markings
 - B. oral syringe
 - C. cylindrical measuring spoon
 - D. household spoon
3. **Which one of the following was associated with the lowest percentage of parents measuring accurate doses in this study?**
 - A. medication cup with printed markings
 - B. medication cup with clear markings
 - C. oral syringe
 - D. cylindrical measuring spoon
4. **For parents using a measuring cup with clear markings, which one of the following was statistically significantly associated with giving an inaccurate dose?**
 - A. parent's level of education
 - B. being taught by a health care provider to measure medication
 - C. being able to read a medication dosing chart accurately
 - D. having more than two children in the household

CE ARTICLE 3—PAGES 150-158

COMMUNITY FACTORS PREDICTING DENTAL CARE UTILIZATION AMONG OLDER ADULTS

1. **What percentage of the older adults included in this study sample had a self-reported dental visit within the preceding year?**
 - A. 81.9 percent
 - B. 74.7 percent
 - C. 66.5 percent
 - D. 49.1 percent

Download English Version:

<https://daneshyari.com/en/article/3137156>

Download Persian Version:

<https://daneshyari.com/article/3137156>

[Daneshyari.com](https://daneshyari.com)