## Accepted Manuscript

<page-header><image><section-header><image>

Title: High doses of Baclofen as suicide attempt in patients with alcohol use disorders - a serious concern

Author: Bharath Holla MD Guru S. Gowda MD Lokesh Prabhu MD Sojan Baby MD Biju Viswanath MD Prabhat Chand MD Pratima Murthy MD

 PII:
 S1876-2018(15)00154-9

 DOI:
 http://dx.doi.org/doi:10.1016/j.ajp.2015.06.015

 Reference:
 AJP 739

To appear in:

 Received date:
 5-5-2015

 Accepted date:
 25-6-2015

Please cite this article as: Holla, B., Gowda, G.S., Prabhu, L., Baby, S., Viswanath, B., Chand, P., Murthy, P.,High doses of Baclofen as suicide attempt in patients with alcohol use disorders - a serious concern, *Asian Journal of Psychiatry* (2015), http://dx.doi.org/10.1016/j.ajp.2015.06.015

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## ACCEPTED MANUSCRIPT

- Baclofen is often prescribed off-label in ADS patients who fail approved drugs.
- Lack of proper recommendations on dosage has important safety implications.
- Two patients reported had serious complications after acute self-inflicted overdose.
- This includes CNS suppression, cardiac conduction and autonomic disturbances.
- Benefit/risk should be assessed in all patients with co-morbid psychiatric disorder.

Received when the second

Download English Version:

https://daneshyari.com/en/article/316983

Download Persian Version:

https://daneshyari.com/article/316983

Daneshyari.com