

Accepted Manuscript

Avoidance of Fiber is Associated with Greater Risk of Crohn's Disease Flare in a 6 Month Period

Carol S. Brotherton, PhD, Christopher A. Martin, MSPH, Millie D. Long, MD, MPH, Michael D. Kappelman, MD, MPH, Robert S. Sandler, MD, MPH



PII: S1542-3565(15)01713-9
DOI: [10.1016/j.cgh.2015.12.029](https://doi.org/10.1016/j.cgh.2015.12.029)
Reference: YJCGH 54588

To appear in: *Clinical Gastroenterology and Hepatology*
Accepted Date: 22 December 2015

Please cite this article as: Brotherton CS, Martin CA, Long MD, Kappelman MD, Sandler RS, Avoidance of Fiber is Associated with Greater Risk of Crohn's Disease Flare in a 6 Month Period, *Clinical Gastroenterology and Hepatology* (2016), doi: 10.1016/j.cgh.2015.12.029.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Dietary fiber and risk of flare in Crohn's

Avoidance of Fiber is Associated with Greater Risk of Crohn's Disease Flare in a 6 Month Period

Carol S. Brotherton, PhD,¹ Christopher A. Martin, MSPH,^{2,3} Millie D. Long, MD, MPH,^{2,3}
Michael D. Kappelman, MD, MPH,^{2,4} Robert S. Sandler, MD, MPH^{2,3}

1. School of Nursing, George Mason University, Fairfax, VA.
2. Center for Gastrointestinal Biology and Disease, University of North Carolina, Chapel Hill, NC
3. Department of Medicine, University of North Carolina, Chapel Hill, NC
4. Department of Pediatrics, University of North Carolina, Chapel Hill, NC

Correspondence Author:

Carol S. Brotherton, PhD
5413 Tree Line Drive
Centreville, VA 20120
Phone: 1-703-282-1656
Email: csb8b@virginia.edu

This research was supported, in part, by grants from the National Institutes of Health (P30 DK034987), the Patient Centered Outcomes Research Institute (through contract from CCFA No. 00074000), and the Crohn's and Colitis Foundation of America (Award No. 3374).

Keywords: inflammatory bowel disease; diet; microbiota; dysbiosis; short-chain fatty acids

Author involvement: Martin, Long, Kappelman, and Sandler were each involved in the design of the study, collection of data, analysis of data, drafting of the manuscript, and editing of the manuscript. Brotherton was involved in the design of the study, analysis of data, drafting of the manuscript, and editing of the manuscript.

Abbreviations used in this paper: CI, confidence intervals; CCFA, Crohn's and Colitis Foundation of America; DSQ, Dietary Screener Questionnaire; CD, Crohn's disease; NCI, National Cancer Institute; OR, odds ratio; SCCAI, Simple Clinical Colitis Activity Index; sCDAI, Short Crohn's Disease Activity Index; UC, ulcerative colitis

Disclosures: Authors CB, CM, MK, and RS have nothing to disclose. Dr. Long has no relevant financial disclosures. She has done consulting for Salix, Abbvie, and NPS Pharmaceuticals outside the submitted work.

Download English Version:

<https://daneshyari.com/en/article/3281398>

Download Persian Version:

<https://daneshyari.com/article/3281398>

[Daneshyari.com](https://daneshyari.com)