
Accepted Manuscript

Association Between Pancreatic IPMNs and Extra-pancreatic Malignancies

Giovanni Marchegiani , Giuseppe Malleo , Jan G. D'Haese , Patrick Wenzel , Muharrem Keskin , Luigi Pugliese , Alex Borin , Valentina Benning , Linda Nilsson , Nevin Oruc , Ralf Segersvard , Helmut Friess , Roland Schmid , Matthias Löhr , Patrick Maisonneuve , Claudio Bassi , Güralp O. Ceyhan , Roberto Salvia , Marco Del Chiaro



PII: S1542-3565(14)01723-6 DOI: 10.1016/j.cgh.2014.11.029 Reference: YJCGH 54086

To appear in: *Clinical Gastroenterology and Hepatology* Accepted Date: 13 November 2014

Please cite this article as: Marchegiani G, Malleo G, D'Haese JG, Wenzel P, Keskin M, Pugliese L, Borin A, Benning V, Nilsson L, Oruc N, Segersvard R, Friess H, Schmid R, Löhr M, Maisonneuve P, Bassi C, Ceyhan GO, Salvia R, Del Chiaro M, Association Between Pancreatic IPMNs and Extra-pancreatic Malignancies, *Clinical Gastroenterology and Hepatology* (2015), doi: 10.1016/j.cgh.2014.11.029.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

All studies published in Clinical Gastroenterology and Hepatology are embargoed until 3PM ET of the day they are published as corrected proofs on-line. Studies cannot be publicized as accepted manuscripts or uncorrected proofs.

ACCEPTED MANUSCRIPT

Association Between Pancreatic IPMNs and Extra-pancreatic Malignancies

Short title: IPMN and extrapancreatic malignancies

Giovanni Marchegiani¹, Giuseppe Malleo¹, Jan G. D'Haese², Patrick Wenzel³,

Muharrem Keskin⁴, Luigi Pugliese⁵, Alex Borin¹, Valentina Benning², Linda Nilsson⁶,

Nevin Oruc⁴, Ralf Segersvard⁶, Helmut Friess², Roland Schmid³, Matthias Löhr⁷, Patrick

Maisonneuve⁸, Claudio Bassi¹, Güralp O. Ceyhan², Roberto Salvia^{1*}, and Marco Del Chiaro^{6*}

From the ¹Unit of Surgery B, The Pancreas Institute, University of Verona Hospital Trust, Verona, Italy; ²Department of Surgery, Klinikum rechts der Isar, Technische Universität München, Munich, Germany; ³Department of Gastroenterology, Klinikum rechts der Isar, Technische Universität München, Munich, Germany; ⁴Division of Gastroenterology, Department of Internal Medicine, Ege University, Izmir, Turkey; ⁵Unit of General Surgery 2, Department of Surgery, IRCCS Policlinico San Matteo, Pavia, Italy; ⁶Division of Surgery, CLINTEC, Karolinska Institutet at Karolinska University Hospital, Stockholm, Sweden; ⁷Division of Gastroenterology, CLINTEC, Karolinska Institutet at Karolinska University Hospital, Stockholm, Sweden; ⁸Division of Epidemiology and Biostatistics, European Institute of Oncology, Milan, Italy.

This study was conducted as a project of the 6th Pancreas2000 education and research program initiated by the Karolinska Institutet and the European Pancreatic Club (EPC).

Correspondence to:

Download English Version:

https://daneshyari.com/en/article/3282105

Download Persian Version:

https://daneshyari.com/article/3282105

Daneshyari.com