

Accepted Manuscript

Comparison of Total Cortisol, Free Cortisol, and Surrogate Markers of Free Cortisol in Diagnosis of Adrenal Insufficiency in Patients with Stable Cirrhosis

Giuseppe Fede, Luisa Spadaro, Tania Tomaselli, Graziella Privitera, Roberto Scicali, Panayota Vasianopoulou, Evangelos Thalassinos, Nicholas Martin, Michael Thomas, Francesco Purrello, Andrew Kenneth Burroughs



PII: S1542-3565(13)01230-5
DOI: [10.1016/j.cgh.2013.08.028](https://doi.org/10.1016/j.cgh.2013.08.028)
Reference: YJCGH 53472

To appear in: *Clinical Gastroenterology and Hepatology*
Accepted Date: 10 August 2013

Please cite this article as: Fede G, Spadaro L, Tomaselli T, Privitera G, Scicali R, Vasianopoulou P, Thalassinos E, Martin N, Thomas M, Purrello F, Burroughs AK, Comparison of Total Cortisol, Free Cortisol, and Surrogate Markers of Free Cortisol in Diagnosis of Adrenal Insufficiency in Patients with Stable Cirrhosis, *Clinical Gastroenterology and Hepatology* (2013), doi: 10.1016/j.cgh.2013.08.028.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

All studies published in *Clinical Gastroenterology and Hepatology* are embargoed until 3PM ET of the day they are published as corrected proofs on-line. Studies cannot be publicized as accepted manuscripts or uncorrected proofs.

Comparison of Total Cortisol, Free Cortisol, and Surrogate Markers of Free Cortisol in Diagnosis of Adrenal Insufficiency in Patients with Stable Cirrhosis

Giuseppe Fede¹⁻², Luisa Spadaro², Tania Tomaselli², Graziella Privitera², Roberto Scicali², Panayota Vasianopoulou¹, Evangelos Thalassinou¹, Nicholas Martin³, Michael Thomas³, Francesco Purrello², Andrew Kenneth Burroughs¹

¹ The Royal Free Sheila Sherlock Liver Centre and University Department of Surgery - University College London and Royal Free Hospital, London, UK

² Department of “Biomedicina clinica e molecolare”, University of Catania – Garibaldi Hospital, Catania, Italy

³ Department of Clinical Biochemistry, Royal Free Hospital, London, UK

Contributorship statement:

Fede Giuseppe: conception and design, acquisition of data, analysis and interpretation of data, drafting the article; Luisa Spadaro: revising the article critically for important intellectual content; Tania Tomaselli: analysis and interpretation of data; Graziella Privitera: analysis and interpretation of data; Roberto Scicali: analysis and interpretation of data; Panayota Vasianopoulou: acquisition of data; Evangelos Thalassinou: acquisition of data; Nicholas Martin: acquisition of data; Michael Thomas: revising the article critically for important intellectual content; Francesco Purrello: revising the article critically for important intellectual content; Andrew Kenneth Burroughs: revising the article critically for important intellectual content and final approval of the version to be published.

Corresponding Authors:

G Fede, MD. Department of “Biomedicina clinica e molecolare”, University of Catania – Garibaldi Hospital, Via Palermo 636, 95122 Catania, Italy; e-mail: g_fede@tiscali.it fax 0039- 095 7598401

AK Burroughs, FRCP FMedSci, Professor of Hepatology, The Sheila Sherlock Liver Centre, Royal Free Hospital, Pond Street, Hampstead, NW3 2QG London (UK); e-mail : andrew.burroughs@nhs.net fax: 0044-02074726226

Download English Version:

<https://daneshyari.com/en/article/3282791>

Download Persian Version:

<https://daneshyari.com/article/3282791>

[Daneshyari.com](https://daneshyari.com)