

Subject index to Volume 16

Indexer: Dr Laurence Errington

androgen excess see hyperandrogenism

Α	angiotensin-converting enzyme inhibitors in pregnancy, 318
ABCDE, maternal postpartum resuscitation, 75–7	angiotensin receptor blockers in pregnancy, 318
abdominal examination in dyspareunia, 230	anogenital warts, 222–3
abdominal hysterectomy, I48	anovulation, 282–4
in menorrhagia, risks, 85, 151	in polycystic ovarian syndrome, 274-8
in postpartum haemorrhage, II–I2	antenatal care
total vs subtotal, in benign disease, I48	HIV-positive women, 193–5
vaginal vs, in benign disease, 148	pre-eclampsia, 319
abdominal pain, gynaecological cancer, II3	with previous caesarean section, 171
abortion	sickle cell disease, 356–7
spontaneous (loss of pregnancy) see miscarriage	antenatal problems
therapeutic (termination of pregnancy)	obesity causing, 243
ectopic pregnancy, 329–30	postpartum collapse due to, 75
emotional changes, I5	antenatal tests and screening
legal issues, 292	congenital malformations associated with
see also embryo reduction	antiretroviral drugs, 193
ACE inhibitors in pregnancy, 318	cystic fibrosis, 64
acute chest syndrome of sickle cell disease, 355	intrauterine growth restriction, 261–2
adjustment disorders, pregnancy, I5	psychiatric disorders, 19
adjuvant chemotherapy, 103	sickle cell disease and thalassaemia, 356
adrenal gland in low birthweight babies and	von Willebrand's disease, 2
consequences in later life, 27I	anthracyclines, 105
adrenaline, neonatal, 136, 139	antibiotics (anticancer), 105
α -adrenergic agonist, centrally-acting, as	antibiotics (antimicrobial)
antihypertensive in pregnancy, 317	bacterial vaginosis, 213
β -adrenergic agonist, tocolytic effects, I78	Chlamydia trachomatis, 215, 219–20
adrenergic blocker, non-specific, in pregnancy, 317	Neisseria gonorrhoeae, 215–16, 220–1
age, maternal, and delivery with previous	preoperative prophylactic use, 88
caesarean section, I70	Treponema pallidum, 22l
airway management	anticholinergics, overactive bladder, 35l
critically ill obstetric patient, I29	anticoagulants
neonatal, 135, 136, 138–9	in obstetrics
preterm, I37	postpartum prophylaxis, 322–3
postpartum collapse, 75	venous thrombosis treatment, 324
airway pressure, neonatal, monitoring and management, I36	surgery and
preterm infant, 137	preoperative evaluation, 86–7
alcohol abuse, 17	prophylactic use, 87–8
alkylating agents, 104	anticonvulsants, pre-eclamptic women, 319–20
alopecia, chemotherapeutic drug-induced, 106	antidepressants, pregnancy and breastfeeding, 19
alpha agonist, centrally-acting, as	antifibrinolytics, von Willebrand's disease, 5
antihypertensive in pregnancy, 317	antifungal drugs, vaginal candidiasis, 214
alpha-fetoprotein and intrauterine growth	antihypertensive drugs
restriction, 262	antenatal, 317–18
amniotic fluid	pre-eclamptic women, 319
embolus, I29	postnatal, 318
excess/deficits, management, 257	antimetabolites, 104–5
anaemia	antioestrogens inducing ovulation, 282
chronic, of sickle cell disease, 354	in polycystic ovarian syndrome, 275–6
postpartum, 69	antiprotozoal drugs, trichomoniasis, 216
anaesthesia	antipsychotics, pregnancy and breastfeeding, 19
obesity and, 244	antiretroviral drugs, 223
tubal ligation, 40	maternal use, 223
vasectomy, 42	in reduction of vertical transmission, 194–5, 196
anal incontinence, postpartum, 68	screening for congenital malformations, 193
analgesia see pain relief	neonatal, 197

semen parameters and effects of, 30I-2

fetal, 256

antithyroid drugs, 50	maternal
antiviral drugs	postpartum haemorrhage, 9–10
genital herpes, 222	sickle cell disease, 357
HIV see antiretroviral drugs	von Willebrand's disease, 5
anxiety, pregnancy, I5-I6	blues, postnatal, I5
aplastic crises in sickle cell disease, 355	body mass index in obstetrics, 242
arms in breech presentation, difficulties in delivery of, 238	complications related to, 243
aromatase inhibitors in anovulatory infertility, 284	bone marrow suppression, chemotherapeutic drugs, 105
arrhythmias, fetal, management, 256-7	borderline ovarian tumours, 165-6
arterial blood flow and intrauterine growth	botulinum toxin, overactive bladder, 35l
restriction, 262-3, 263-4	bowels (intestine)
arterial disease risk, combined oral contraceptives, 24	hysterectomy effects on function, 149–50
artificial reproduction techniques see assisted	postoperative problems, 90-I
conception/reproduction	postpartum, 66
asphyxia, vaginal breech delivery, 238	problems, 68
aspirin in pregnancy	brachytherapy, 102
in chronic hypertension, 318	BRCA genes and ovarian cancer screening, 162, 339-40
pre-eclampsia prophylaxis, 320	breast
assisted conception/reproduction	cancer risk
embryo reduction, ethical issues, I8I-4	combined oral contraceptives, 25-6
HIV-discordant couples, 300–4	fertility treatment, 287
legal issues, 293	polycystic ovarian syndrome, 335
polycystic ovarian syndrome, 274–8	cancer screening, 342
atosiban as tocolytic, 179	postpartum, 66
aura of migraine and combined oral contraceptives, 25	problems, 67–8
autonomy, 207	breastfeeding (lactating mother), 67
azoospermia with vasectomy, time to achieve, 42	antithyroid drugs, 50
azoosperima with vasectorily, time to atmeve, 12	HIV-positive women
	avoidance, 197
В	vertical transmission risk, 192
backache, postpartum, 69	
bacterial infections	pyschotropics, 18–19 breathing assessment and management (respiratory support)
	neonatal, 135, 139
sexually-transmitted, 2I4–I6, 2I9–2I	
vagina, 212–13	preterm, I37
balloon tamponade, postpartum haemorrhage, 10	obstetric patient in critical illness, 129–30
Barker hypothesis, 266	
behaviour modification, vaginismus, 232	postpartum collapse, 76
bereavement care, stillbirth, 203, 204	breathlessness (dyspnoea) cancer patients, II5
β-agonists, tocolytic effects, I78	breech presentation, 236–9
bicarbonate, neonatal, 137, 139	previous caesarean section and, 171
biguanide see metformin	brow presentation, 235
bile stasis and stillbirth, 202	caesareans for, 236
biochemical tests	
ectopic pregnancy, 329	C (A)25
miscarriage, 330	CAI25, ovarian cancer screening, I62–3, 338–9, 339
biophysical profile and intrauterine growth	caesarean section
restriction, 264	HIV-positive women, pre-labour, 195–7
bipolar affective disorder, 16–17	for malpresentations
bladder	breech presentation, 236, 238
drill (timed emptying), 348	face/brow presentations, 236
hysterectomy effects on function, 149–50	transverse of oblique lie, 239
obstruction causing poor emptying, 35I	medico-legal issues, 208–9
overactive (OAB), and detrusor overactivity, 345	obese women, 244
management, 56, 57, 124, 348–9, 351–2	postoperative problems, 244–5
postpartum, 69	placenta praevia, 82
postpartum, 66	previous, management in, 168–73
bleeding see haemorrhage	vasa praevia, 83
bleomycin, 105	von Willebrand disease and, 4
blood pressure	calcium channel blockers
antepartum, measurement, 316	as antihypertensives in pregnancy, 317
postpartum, 66	as tocolytics, 179
see also antihypertensive drugs; hypertension	cancer
blood transfusion (and blood products)	cervical see cervical cancer

endometrial see endometrial cancer

Download English Version:

https://daneshyari.com/en/article/3916548

Download Persian Version:

https://daneshyari.com/article/3916548

<u>Daneshyari.com</u>